# NDS Pro-Spec<sup>™</sup> Series



# Superior strength with unique corrugated sidewalls



- Corrugated sidewalls provide higher strength
- Specification grade valve boxes for commercial applications
- Reinforced covers for heavier loads

- Integrated nut for bolt-down capability
- High UV resistance prevents discoloration and cracking
- Overlapping covers prevent dirt and grass from settling in between body and cover

Love what you see? Here are some more products you may like.













Order a sample online!

## **Technical Information**



#### **Applications & Material**

**Application:** The NDS Pro-Spec<sup>™</sup> Series is the next generation of commercial grade valve boxes that are ideal for the specification market.

**Material:** High-impact, high-density, injection-moulded structural foam polyethylene construction.

NOTE: Please refer to the description of the Box & Cover set to identify those with a bolt. For others, the bold needs to be ordered separately.

#### NDS Pro-Spec<sup>™</sup> 10" Round Corrugated Valve Boxes

Tapered body with a minimum wall thickness of 6 mm. The cover seat area has 8 structural support ribs on the underside of the seat. The bottom of the body has a 12 mm flange. The 10" round cover has an average thickness of 8 mm.

	NDS Pro-Spec™ 10" Round Corrugated Valve Boxes							
Product	Part number			Colour		Size	Packaging details	
	EMEA reference	USA reference	Description	Box	Cover	(Ø cm)	Pallet quantity (pcs)	
picture	Box & Cover							
	0800 2730 001	311BCB	10" Round Corrugated Box; Round Overlapping Cover with Bolt - ICV			25	132	
	0800 2730 002	311BCBBLK	10" Round Corrugated Box; Round Overlapping Cover with Bolt - ICV			25	132	
	0800 2730 003	312BCB	10" Round Corrugated Box; Round Overlapping Cover with Bolt - ICV			25	132	
	0800 2730 004	312BCBSAND	10" Round Corrugated Box; Round Overlapping Cover with Bolt - ICV			25	132	
	0800 2730 005	312PBCBR	10" Round Corrugated Box; Round Overlapping Cover with Bolt - Reclaimed Water			25	132	
	0800 2730 006	311BCR	10" Round Corrugated Box; Round Overlapping Cover - Reclaimed Water			25	132	
	0800 2730 007	312BCRBLK	10" Round Corrugated Box; Round Overlapping Cover - Reclaimed Water			25	132	
	0800 2730 008	312BCRG	10" Round Corrugated Box; Round Overlapping Cover - Reclaimed Water			25	132	
	Cover only							
	0800 2730 009	311C	10" Round Overlapping Cover - ICV			25	200	
	0800 2730 010	311C BLK	10" Round Overlapping Cover - ICV			25	200	
	0800 2730 011	311C BRN	10" Round Overlapping Cover - ICV			25	200	
	0800 2730 012	311CSAND	10" Round Overlapping Cover - ICV			25	200	
	0800 2730 013	311CR	10" Round Overlapping Cover - Reclaimed Water			25	200	
	0800 2730 014	311CRG	10" Round Overlapping Cover - Reclaimed Water			25	200	
	Box only							
	0800 2730 015	311B	10" Round Corrugated Box			25	132	
	0800 2730 016	312B	10" Round Corrugated Box			25	132	
	0800 2730 017	312PB	10" Round Corrugated Box			25	132	
	Bolt							
	0800 2740 031	113BB	2 1/2" x 3/8" SS Bolt	Steel		N/A	600 pcs / box	

#### NDS Pro-Spec<sup>™</sup> 14" x 19" Rectangular Valve Boxes

The NDS Pro-Spec<sup>TM</sup> 14" x 19" body is tapered and has a minimum wall thickness of 5 mm. The body has a double wall in the top cover seat area, with a minimum thickness of 5 mm. The cover seat area has 18 structural support ribs on the underside of the seat, each with a minimum thickness of 5 mm. The bottom of the body has a 12 mm flange. The cover has an average thickness of 5 mm. The valve box has a 3/8" brass nut for bolt-down as a standard feature.

	NDS Pro-Spec™ 14" x 19" Rectangular Valve Boxes							
Product picture	Part number		Description	Colour		Size (W x L x H	Packaging details	
	EMEA reference	USA reference		Box	Cover	cm)	Pallet quantity (pcs)	
	Box & Cover							
	0800 2730 018	313BCB	$14"\times19"\times12"$ Corrugated Box; Overlapping Cover with Bolt - ICV			36 x 48 x 30	84	
	0800 2730 019	313BCBBLK	14" x 19" x 12" Corrugated Box; Overlapping Cover with Bolt - ICV			36 x 48 x 30	84	
	0800 2730 020	314BCB	14" x 19" x 12" Corrugated Box; Overlapping Cover with Bolt - ICV			36 x 48 x 30	84	
	0800 2730 021	314BCBSAND	14" x 19" x 12" Corrugated Box; Overlapping Cover with Bolt - ICV			36 x 48 x 30	84	
	0800 2730 022	313BCBR	14" x 19" x 12" Corrugated Box; Overlapping Cover with Bolt - Reclaimed Water			36 x 48 x 30	84	
	0800 2730 023	313BCBRBLK	14" x 19" x 12" Corrugated Box; Overlapping Cover with Bolt - Reclaimed Water			36 x 48 x 30	84	
	0800 2730 024	313BCBRG	14" x 19" x 12" Corrugated Box; Overlapping Cover with Bolt - Reclaimed Water			36 x 48 x 30	84	
	0800 2730 025	314BCBRG	14" x 19" x 12" Corrugated Box; Overlapping Cover with Bolt - Reclaimed Water			36 x 48 x 30	84	
	0800 2730 026	314PBCBR	$14" \times 19" \times 12"$ Corrugated Box; Overlapping Cover with Bolt - Reclaimed Water			36 x 48 x 30	84	
	Cover only							
	0800 2730 027	313C	14" x 19" Overlapping Cover - ICV			36 x 48	300	
	0800 2730 028	313CBLK	14" x 19" Overlapping Cover - ICV			36 x 48	300	
	0800 2730 029	313CBRN	14" x 19" Overlapping Cover - ICV			36 x 48	300	
	0800 2730 030	313CSAND	14" x 19" Overlapping Cover - ICV			36 x 48	300	
	0800 2730 031	313CR	14" x 19" Overlapping Cover - Reclaimed Water			36 x 48	300	
	0800 2730 032	313CRBLK	14" x 19" Overlapping Cover - Reclaimed Water			36 x 48	300	
	0800 2730 033	313CRG	14" x 19" Overlapping Cover - Reclaimed Water			36 x 48	300	
	Box only							
	0800 2730 034	314B	14" x 19" x 12" Corrugated Box			36 x 48 x 30	84	
	0800 2730 035	314BBLK	14" x 19" x 12" Corrugated Box			36 x 48 x 30	84	
	Bolt							
	0800 2740 031	113BB	2 1/2" x 3/8" SS Bolt	Steel		N/A	600 pcs / box	

#### NDS Pro-Spec<sup>™</sup> 13" x 20" Rectangular Valve Boxes

The NDS Pro-Spec<sup>TM</sup>  $13" \times 20"$  body is tapered and has a minimum wall thickness of 6 mm. The body has a double wall in the top cover seat area, with a minimum thickness of 6 mm. The cover seat area has 22 structural support ribs on the underside of the seat, each with a minimum thickness of 3 mm. The bottom of the body has a 12 mm flange. The cover has an average thickness of 6 mm. The valve box has a 3/8" brass nut for bolt-down as a standard feature.

	NDS Pro-Spec™ 13" x 20" Rectangular Valve Boxes								
Product	Part number		Description	Colour		Size	Packaging details		
	EMEA reference	USA reference	Description	Box	Cover	(W x L x H cm)	Pallet quantity (pcs)		
picture	Box & Cover								
	0800 2730 036	317BCB	$13^{\prime\prime} \times 20^{\prime\prime} \times 12^{\prime\prime}$ Jumbo Corrugated Box; Overlapping Cover with Bolt - ICV			33 x 51 x 30	56		
	0800 2730 037	317BCBBLK	13" $\times$ 20" $\times$ 12" Jumbo Corrugated Box; Overlapping Cover with Bolt - ICV			33 x 51 x 30	56		
	0800 2730 038	318BCB	13" $\times$ 20" $\times$ 12" Jumbo Corrugated Box; Overlapping Cover with Bolt - ICV			33 x 51 x 30	56		
	0800 2730 039	318BCBSAND	13" $\times$ 20" $\times$ 12" Jumbo Corrugated Box; Overlapping Cover with Bolt - ICV			33 x 51 x 30	56		
	0800 2730 040	318BCBRBLK	13" x 20" x 12" Jumbo Corrugated Box; Overlapping Cover with Bolt - Reclaimed Water			33 x 51 x 30	56		
	0800 2730 041	318BCBRG	13" x 20" x 12" Jumbo Corrugated Box; Overlapping Cover with Bolt - Reclaimed Water			33 x 51 x 30	56		
	0800 2730 042	318PBCBR	13" x 20" x 12" Jumbo Corrugated Box; Overlapping Cover with Bolt - Reclaimed Water			33 x 51 x 30	56		
	Cover only								
	0800 2730 043	317C	13" x 20" Overlapping Cover - ICV			33 x 51	180		
	0800 2730 044	317C BLK	13" x 20" Overlapping Cover - ICV			33 x 51	180		
	0800 2730 045	317C BRN	13" x 20" Overlapping Cover - ICV			33 x 51	180		
	0800 2730 046	317CSAND	13" x 20" Overlapping Cover - ICV			33 x 51	180		
	0800 2730 047	317CR	13" x 20" Overlapping Cover - Reclaimed Water			33 x 51	180		
	Box only								
	0800 2730 048	318B	13" x 20" x 12" Jumbo Corrugated Box			33 x 51 x 30	56		
	0800 2730 049	318B BLK	13" x 20" x 12" Jumbo Corrugated Box			33 x 51 x 30	56		
	0800 2730 050	318PB	13" x 20" x 12" Jumbo Corrugated Box			33 x 51 x 30	56		
	Bolt								
	0800 2740 031	113BB	2 1/2" x 3/8" SS Bolt	Steel		N/A	600 pcs / box		

#### NDS Pro-Spec<sup>™</sup> 13" x 24" Rectangular Valve Boxes

The NDS Pro-Spec<sup>TM</sup>  $13" \times 24"$  body is tapered and has a minimum wall thickness of 7 mm. The body has a double wall in the top cover seat area, with a minimum thickness of 7 mm. The cover seat area has 18 structural support ribs on the underside of the seat, each with a minimum thickness of 6 mm. The bottom of the body has a 25 mm flange. The cover has an average thickness of 8 mm. The valve box has a 3/8" brass nut for bolt-down as a standard feature.

	NDS Pro-Spec™ 13" x 24" Rectangular Valve Boxes							
	Part number			Colour		Size	Packaging details	
Product picture	EMEA reference	USA reference	Description	Box	Cover	(W x L x H cm)	Pallet quantity (pcs)	
	Box & Cover							
THE REAL PROPERTY.	0800 2730 051	321BCB	$13"\times24"\times12"$ Corrugated Box; Overlapping Cover with Bolt - ICV			33 x 61 x 30	12	
	0800 2730 052	321BCB-BG	13" x 24" x 12" Corrugated Box; Overlapping Cover with Bolt - ICV $$			33 x 61 x 30	12	
	0800 2730 053	322BCB	13" x 24" x 15" Corrugated Box; Overlapping Cover with Bolt - ICV $$			33 x 61 x 38	12	
	0800 2730 054	325BCB	13" x 24" x 15" Corrugated Box; Overlapping Cover with Bolt - ICV			33 x 61 x 38	12	
	0800 2730 055	322PBCBR	$13" \times 24" \times 12"$ Corrugated Box; Overlapping Cover with Bolt - Reclaimed Water			33 x 61 x 30	12	
	Cover only							
	0800 2730 056	322C	13" x 24" Overlapping Cover - ICV			33 x 61	125	
	Box only							
	0800 2730 057	321B	13" x 24" x 12" Corrugated Box			33 x 61 x 30	12	
	0800 2730 058	322B	13" x 24" x 15" Corrugated Box			33 x 61 x 38	12	
	0800 2730 059	325B	13" x 24" x 15" Corrugated Box			33 x 61 x 38	12	
	Bolt							
	0800 2730 060	121BB	3/8" x 3" SS Bolt	Steel		N/A	600 pcs / box	

#### NDS Pro-Spec™ 17" x 30" Rectangular Valve Boxes

The NDS Pro-Spec<sup>TM</sup> 17"  $\times$  30" body is tapered and has a minimum wall thickness of 8 mm. The body has a double wall in the top cover seat area, with a minimum thickness of 8 mm. The cover seat area has 20 structural support ribs on the underside of the seat, each with a minimum thickness of 6 mm. The bottom of the body has a 25 mm flange. The cover has an average thickness of 9 mm. The valve box has a 3/8" brass nut for bolt-down as a standard feature.

	NDS Pro-Spec™ 17" x 30" Rectangular Valve Boxes							
Product picture	Part number			Colour		Size	Packaging details	
	EMEA reference	USA reference	Description	Box	Cover	(W x L x H cm)	Pallet quantity (pcs)	
	Box & Cover							
	0800 2730 061	324BCB	$17\mbox{"}\times30\mbox{"}\times15\mbox{"}$ Corrugated Box; Overlapping Cover with Bolt - ICV			43 x 76 x 38	6	
	0800 2730 062	324BCB-BG	$17\mbox{"}\times30\mbox{"}\times15\mbox{"}$ Corrugated Box; Overlapping Cover with Bolt - ICV			43 x 76 x 38	6	
	0800 2730 063	326BCB	$17\mbox{"}\times 30\mbox{"}\times 18\mbox{"}$ Corrugated Box; Overlapping Cover with Bolt - ICV			43 x 76 x 46	6	
	0800 2730 064	326BCB-BG	$17\mbox{"}\times30\mbox{"}\times18\mbox{"}$ Corrugated Box; Overlapping Cover with Bolt - ICV			43 x 76 x 46	6	
	0800 2730 065	326PBCBR	$17" \times 30" \times 18"$ Corrugated Box; Overlapping Cover with Bolt - Reclaimed Water			43 x 76 x 46	6	
	Cover only							
	0800 2730 066	323C	17" x 30" Overlapping Cover - ICV			43 x 76	75	
	0800 2730 067	323CR	17" x 30" Overlapping Cover - Reclaimed Water			43 x 76	75	
	Box only							
	0800 2730 068	324B	17" x 30" x 15" Corrugated Box			43 x 76 x 38	6	
	0800 2730 069	324B BLK	17" x 30" x 15" Corrugated Box			43 x 76 x 38	6	
	0800 2730 070	326B	17" x 30" x 18" Corrugated Box			43 x 76 x 46	6	
	0800 2730 071	326B BLK	17" x 30" x 18" Corrugated Box			43 x 76 x 46	6	
	Bolt							
	0800 2730 060	121BB	3/8" x 3" SS Bolt	Steel		N/A	600 pcs / box	

## NDS Pro-Spec<sup>™</sup> Series Dimensions

