NDS Standard Series



High-quality valve boxes designed for longevity



- Reinforced covers for heavy loads
- Integrated nut for bolt down capability
- Overlapping covers prevent dirt and grass from settling in between body and cover
- **UV** resistance
- Available in wide variety of sizes and colours
- The bayonet twist-on cover ensures easy removal on 6" round covers

Love what you see? Here are some more products you may like.












Order a sample online!

NORMA PN 10

Technical Information



Applications

NDS Standard Series Valve Boxes are used in residential and commercial applications. They are designed to offer years of service under most demanding conditions and have designations for irrigation control valve and reclaimed water.

Material

One piece moulded of polyolefins (polyethylene and polypropylene). UV inhibitors added in to prevent discoloration and cracking.

 $NOTE: Please \ refer \ to \ the \ description \ of \ the \ Box \ \& \ Cover \ set \ to \ identify \ those \ with \ bolt. For \ others, \ the \ bolt \ needs \ to \ be \ ordered \ separately.$

NDS Standard Series 6" Round Valve Boxes

The NDS Standard Series 6" round body is tapered and has a minimum wall thickness of 5 mm. The body has a double wall in the top cover seat area, with a minimum thickness of 3 mm. The bottom of the body has a 6 mm flange. The 6" round cover has an average thickness of 5 mm.

	NDS Standard Sei	NDS Standard Series 6" Round Valve Boxes							
	Part number		5	Colour		Size	Packaging details		
Product picture	EMEA reference	USA reference	Description	Box	Cover	(Ø cm)	Pallet quantity (pcs)		
	Box & Cover								
	0800 2740 004	107BC	6" Round Box; Round Overlapping Cover - ICV			15	250		
1 1	0800 2740 090	107BC BLK	6" Round Box; Round Overlapping Cover - ICV			15	250		
	0800 2740 005	107BC SAND	6" Round Box; Round Overlapping Cover - ICV			15	250		
	0800 2740 091	108BC	6" Round Box; Round Overlapping Cover - ICV			15	250		
	0800 2740 008	107BCR	6" Round Box; Round Overlapping Cover - Reclaimed Water			15	250		
	0800 2740 092	107BCR BLK	6" Round Box; Round Overlapping Cover - Reclaimed Water			15	250		
	0800 2740 015	107PBCR	6" Round Box; Round Overlapping Cover - Reclaimed Water			15	250		
	Cover only								
	0800 2740 009	107C	6" Round Overlapping Cover - ICV			15	800		
	0800 2740 093	107C BLK	6" Round Overlapping Cover - ICV			15	800		
	0800 2740 094	107C BRN	6" Round Overlapping Cover - ICV			15	800		
	0800 2740 010	107C SAND	6" Round Overlapping Cover - ICV			15	800		
	0800 2740 012	107CR	6" Round Overlapping Cover - Reclaimed Water			15	800		
	Box only								
	0800 2740 002	107B	6" Round Box			15	250		
	0800 2740 095	108B	6" Round Box			15	250		

NDS Standard Series 10" Round Valve Boxes

The NDS Standard Series 10" round body is tapered and has a minimum wall thickness of 5 mm. The cover seat area has 6 structural support ribs on the underside of the seat, each with a minimum thickness of 6 mm. The bottom of the body has a 12 mm flange. The 10" round cover has an average thickness of 6 mm. The valve box has a 5/16" brass nut for boltdown as a standard feature.

	NDS Standard Series 10" Round Valve Boxes							
Product picture	Part number		Description	Colour		Size	Packaging details	
	EMEA reference	USA reference	- Description	Box	Cover	(Ø cm)	Pallet quantity (pcs)	
	Box & Cover	Box & Cover						
	0800 2740 021	111BCB	10" Round Box; Round Overlapping Cover with Bolt - ICV			25	180	
	0800 2740 096	112BCB	10" Round Box; Round Overlapping Cover with Bolt - ICV			25	180	
	0800 2740 097	111BC BLK	10" Round Box; Round Overlapping Cover - ICV			25	180	
	0800 2740 020	111BC SAND	10" Round Box; Round Overlapping Cover - ICV			25	180	
	0800 2740 023	111BCR	10" Round Box; Round Overlapping Cover - Reclaimed Water			25	180	
	0800 2740 098	111BCR BLK	10" Round Box; Round Overlapping Cover - Reclaimed Water			25	180	
	0800 2740 027	111PBCR	10" Round Box; Round Overlapping Cover - Reclaimed Water			25	180	
	0800 2740 099	112BCRG	10" Round Box; Round Overlapping Cover - Reclaimed Water			25	180	
	Cover only							
	0800 2740 024	111C	10" Round Overlapping Cover - ICV			25	300	
	0800 2740 100	111C BLK	10" Round Overlapping Cover - ICV			25	300	
	0800 2740 101	111C BRN	10" Round Overlapping Cover - ICV			25	300	
	0800 2740 025	111C SAND	10" Round Overlapping Cover - ICV			25	300	
	0800 2740 026	111CR	10" Round Overlapping Cover - Reclaimed Water			25	300	
	0800 2740 102	111CRG	10" Round Overlapping Cover - Reclaimed Water			25	300	
	Box only							
	0800 2740 016	111B	10" Round Box			25	180	
	0800 2740 028	112B	10" Round Box			25	300	
	Bolt							
	0800 2740 018	111BB	1 1/4" x 5/16" SS Bolt	Steel		N/A	600 pcs / box	

NDS Standard Series 14" x 19" Rectangular Valve Boxes

The NDS Standard Series 14" \times 19" body is tapered and has a minimum wall thickness of 5 mm. The body has a double wall in the top cover seat area, with a minimum thickness of 6 mm. The cover seat area has 16 structural support ribs on the underside of the seat, each with a minimum thickness of 6 mm. The bottom of the body has a 12 mm flange. The cover has an average thickness of 6 mm. The valve box has a 3/8" brass nut for bolt-down as a standard feature.

	NDS Standard Series 14" x 19" Rectangular Valve Boxes								
Product	Part number		Description	Colour		Size	Packaging details		
	EMEA reference	USA reference	Description	Box	Cover	(WxLxH cm)	Pallet quantity (pcs)		
picture	Box & Cover								
	0800 2740 105	114BCB	14" x 19" x 12" Box; Overlapping Cover with Bolt - ICV			36 x 48 x 30	78		
	0800 2740 034	113BCB	14" x 19" x 12" Box; Overlapping Cover with Bolt - ICV			36 x 48 x 30	78		
	0800 2740 107	113BCB SAND	14" x 19" x 12" Box; Overlapping Cover with Bolt - ICV			36 x 48 x 30	78		
	0800 2740 108	113BCBLK	14" x 19" x 12" Box; Overlapping Cover - ICV			36 x 48 x 30	78		
	0800 2740 035	113BCR	$14" \times 19" \times 12"$ Box; Overlapping Cover - Reclaimed Water			36 x 48 x 30	78		
	0800 2740 109	113BCRBLK	14" x 19" x 12" Box; Overlapping Cover - Reclaimed Water			36 x 48 x 30	78		
	0800 2740 110	113BCRG	14" x 19" x 12" Box; Overlapping Cover - Reclaimed Water			36 x 48 x 30	78		
	0800 2740 040	113PBCR	14" x 19" x 12" Box; Overlapping Cover - Reclaimed Water			36 x 48 x 30	78		
	0800 2740 043	115	14" x 19" x 6" Extension; Overlapping Cover - ICV			36 x 48 x 15	49		
	0800 2740 103	116	14" x 19" x 6" Extension; Overlapping Cover - ICV			36 x 48 x 15	49		
	0800 2740 104	115BCR	14" x 19" x 6" Extension; Overlapping Cover - Reclaimed Water			36 x 48 x 15	49		
	Cover only								
	0800 2740 036	113C	14" x 19" Overlapping Cover - ICV			36 x 48	300		
	0800 2740 111	113C BRN	14" x 19" Overlapping Cover - ICV			36 x 48	300		
	0800 2740 037	113C SAND	14" x 19" Overlapping Cover - ICV			36 x 48	300		
	0800 2740 112	113CB	14" x 19" Overlapping Cover - ICV			36 x 48	300		
	0800 2740 038	113CR	14" x 19" Overlapping Cover - Reclaimed Water			36 x 48	300		
	0800 2740 113	113CRB	14" x 19" Overlapping Cover - Reclaimed Water			36 x 48	300		
	0800 2740 114	113CRG	14" x 19" Overlapping Cover - Reclaimed Water			36 x 48	300		
	Box only								
	0800 2740 030	113B	14" x 19" x 12" Box			36 x 48 x 30	78		
	0800 2740 041	114B	14" x 19" x 12" Box			36 x 48 x 30	78		
	0800 2740 029	113-6	14" x 19" x 6" Extension			36 x 48 x 15	49		
	0800 2740 115	114-6	14" x 19" x 6" Extension			36 x 48 x 15	49		
	0800 2740 045	116-SAND	14" x 19" x 6" Extension			36 x 48 x 15	49		
	Bolt								
	0800 2740 031	113BB	2 1/2" x 3/8" SS Bolt	Steel		N/A	600 pcs / box		

NDS Standard Series 13" x 20" Rectangular Valve Boxes

The NDS Standard Series 13" x 20" body is tapered and has a minimum wall thickness of 6 mm. The body has a double wall in the top cover seat area, with a minimum thickness of 6 mm. The cover seat area has 16 structural support ribs on the underside of the seat, each with a minimum thickness of 6 mm. The bottom of the body has a 12 mm flange. The cover has an average thickness of 6 mm. The valve box has a 3/8" brass nut for bolt-down as a standard feature.

	NDS Standard Series 13" x 20" Rectangular Valve Boxes									
	Part number			Colour		Size	Packaging details			
Product	EMEA reference	USA reference	Description –		Cover	(W x L x H cm)	Pallet quantity (pcs)			
picture	Box & Cover									
	0800 2740 047	117BC	13" x 20" x 12" Jumbo Box; Overlapping Cover - ICV			33 x 51 x 30	56			
	0800 2740 117	117BC BLK	13" x 20" x 12" Jumbo Box; Overlapping Cover - ICV			33 x 51 x 30	56			
	0800 2740 048	117BC SAND	13" x 20" x 12" Jumbo Box; Overlapping Cover - ICV			33 x 51 x 30	56			
	0800 2740 052	118BC	13" x 20" x 12" Jumbo Box; Overlapping Cover - ICV			33 x 51 x 30	56			
	0800 2740 118	117BCR	13" x 20" x 12" Jumbo Box; Overlapping Cover - Reclaimed Water			33 x 51 x 30	56			
	0800 2740 119	117PBCR	13" x 20" x 12" Jumbo Box; Overlapping Cover - Reclaimed Water			33 x 51 x 30	56			
	0800 2740 053	119	13" x 20" x 6" Jumbo Extension; Overlapping Cover - ICV			33 x 51 x 15	32			
	0800 2740 116	120	13" x 20" x 6" Jumbo Extension; Overlapping Cover - ICV			33 x 51 x 15	32			
	0800 2740 054	119 SAND	13" x 20" x 6" Jumbo Extension; Overlapping Cover - ICV			33 x 51 x 15	32			
	Cover Only									
	0800 2740 049	117C	13" x 20" Overlapping Cover - ICV			33 x 51	180			
	0800 2740 120	117C BRN	13" x 20" Overlapping Cover - ICV			33 x 51	180			
	0800 2740 050	117C SAND	13" x 20" Overlapping Cover - ICV			33 x 51	180			
	0800 2740 121	117 CB	13" x 20" Overlapping Cover - ICV			33 x 51	180			
	0800 2740 122	117CR	13" x 20" Overlapping Cover - Reclaimed Water			33 x 51	180			
	Box Only									
	0800 2740 046	117B	13" x 20" x 12" Jumbo Box			33 x 51 x 15	56			
	0800 2740 125	118B	13" x 20" x 12" Jumbo Box			33 x 51 x 15	56			
	0800 2740 123	117-6	13" x 20" x 6" Jumbo Extension			33 x 51 x 15	32			
	0800 2740 124	118-6	13" x 20" x 6" Jumbo Extension			33 x 51 x 15	32			
	Bolt									
	0800 2740 031	113BB	2 1/2" x 3/8" SS Bolt	Steel		N/A	600 pcs / box			

VALVE BOXES

NDS Standard Series Dimensions

