

NORMA Compression Fittings

Irrigation Joining Solutions

NEW

QuickTight Technology
NORMA MARLIN®*



* Up to 50% faster installations
Drinking water certified

Connected to let it flow

SmartConnect Solutions for all irrigation systems

An irrigation system is only as good as its connecting parts. So why not build the best system you can by relying on tried and tested joining and fitting solutions?

Nowadays, every drop of water counts. Joining and fastening elements are usually the weakest link in an irrigation system and we make sure your water flows smoothly to where it is ultimately needed, your plants.

Don't let your connections be your weakest link.

- ✓ Leakage free connection for maximum water savings
- ✓ Highest durability for better system reliability
- ✓ Excellent performance even under harsh conditions

Key Products



NORMA MARLIN® **NEW**

- QuickTight Technology, lip-gasket for fast & easy installation combined with superior leakproof connection
- Light blue nut for better recognition for drinking water
- Push-Fit installation from DN 20 to DN 110
- Certified for drinking water

[Page 04](#)



NORMA PN 16

- High-performance compression fittings
- Safe and durable
- Perfect water tightness
- High UV and temperature resistance

[Page 18](#)



Telescopic Fitting **NEW**

- Speed up the process of repairing a broken pipe!
- Telescopic function
- Interchangeable ends for high connection flexibility
- High UV resistance

[Page 32](#)




NORMA PN 10

- Cost-competitive high-quality compression fittings for your needs
- Locking nut for clinching system
- Easy connection
- High UV and temperature resistance

[Page 36](#)

NORMA MARLIN® PN 16



QuickTight
Technology

Speed up your water pipe installations!



- ✓ Superior leakproof connection
- ✓ Push-fit installation from DN 20 to DN 110
- ✓ Light blue nut for better recognition for drinking water
- ✓ Certified for drinking water

Love what you see? Here are some more products you may like.



Clamp Saddle




NORMA Ball Valve



Valve Box



Technical Information




Applications


Ideally suited for connecting high- and low-density polyethylene tubing. These products are certified as compliant with international sanitary regulations for transport of drinking water according to DVGW, KIWA, ACS, WRAS and many more.

Material


Nut	Polypropylene
Bodies	Polypropylene
Clinching Ring	POM (Acetal)
Lip Gasket	NBR




Installation Tips




01 Unscrew the nut one or two turns or to the last thread.



02 Cut the pipe and deburr if necessary. Mark the insertion depth.



03 Push the pipe to the mark or the stop-end.



04 Screw the nut on tight. The nut can be tightened manually or using a hook tool.

NORMA MARLIN® Compression Fittings

are made in factories certified under ISO 9001:2018 according to UNI 9561-AS/NZS 4129-BRL-K17105 – DIN 8076 – ISO17885, threads: UNI EN 10226-1 (ISO 7/1)



Female threads



ISO 7/1 Parallel


Male threads tapered 1:16




ISO 7/1 Conical

NORMA COMPRESSION FITTINGS

Male Threaded Adaptor


Male Threaded Adaptor				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1101 001	Male Threaded Adaptor 20 × 1/2"	20 × 1/2"	20 / 280
	0894 1101 002	Male Threaded Adaptor 20 × 3/4"	20 × 3/4"	20 / 280
	0894 1101 003	Male Threaded Adaptor 20 × 1"	20 × 1"	20 / 200
	0894 1101 004	Male Threaded Adaptor 25 × 1/2"	25 × 1/2"	10 / 200
	0894 1101 005	Male Threaded Adaptor 25 × 3/4"	25 × 3/4"	10 / 200
	0894 1101 006	Male Threaded Adaptor 25 × 1"	25 × 1"	10 / 200
	0894 1101 007	Male Threaded Adaptor 32 × 3/4"	32 × 3/4"	10 / 120
	0894 1101 008	Male Threaded Adaptor 32 × 1"	32 × 1"	10 / 120
	0894 1101 009	Male Threaded Adaptor 32 × 1 1/4"	32 × 1 1/4"	10 / 100
	0894 1101 010	Male Threaded Adaptor 40 × 1"	40 × 1"	- / 60
	0894 1101 011	Male Threaded Adaptor 40 × 1 1/4"	40 × 1 1/4"	- / 60
	0894 1101 012	Male Threaded Adaptor 40 × 1 1/2"	40 × 1 1/2"	- / 55
	0894 1101 013	Male Threaded Adaptor 50 × 1"	50 × 1"	- / 35
	0894 1101 014	Male Threaded Adaptor 50 × 1 1/4"	50 × 1 1/4"	- / 35
	0894 1101 015	Male Threaded Adaptor 50 × 1 1/2"	50 × 1 1/2"	- / 35
	0894 1101 016	Male Threaded Adaptor 50 × 2"	50 × 2"	- / 35
	0894 1101 017	Male Threaded Adaptor 63 × 1 1/4"	63 × 1 1/4"	- / 24
	0894 1101 018	Male Threaded Adaptor 63 × 1 1/2"	63 × 1 1/2"	- / 24
	0894 1101 019	Male Threaded Adaptor 63 × 2"	63 × 2"	- / 24
	0894 1101 020	Male Threaded Adaptor 63 × 2 1/2"	63 × 2 1/2"	- / 20
	0894 1101 021	Male Threaded Adaptor 75 × 2"	75 × 2"	- / 15
	0894 1101 022	Male Threaded Adaptor 75 × 2 1/2"	75 × 2 1/2"	- / 15
	0894 1101 023	Male Threaded Adaptor 75 × 3"	75 × 3"	- / 12
	0894 1101 024	Male Threaded Adaptor 90 × 2"	90 × 2"	- / 8
	0894 1101 025	Male Threaded Adaptor 90 × 2 1/2"	90 × 2 1/2"	- / 8
	0894 1101 026	Male Threaded Adaptor 90 × 3"	90 × 3"	- / 8
	0894 1101 027	Male Threaded Adaptor 110 × 2"	110 × 2"	- / 6
	0894 1101 028	Male Threaded Adaptor 110 × 3"	110 × 3"	- / 6
	0894 1101 029	Male Threaded Adaptor 110 × 4"	110 × 4"	- / 6

Female Threaded Adaptor


Female Threaded Adaptor				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1102 001	Female Threaded Adaptor 20 × 1/2"	20 × 1/2"	20 / 280
	0894 1102 002	Female Threaded Adaptor 20 × 3/4"	20 × 3/4"	20 / 240
	0894 1102 003	Female Threaded Adaptor 25 × 1/2"	25 × 1/2"	10 / 200
	0894 1102 004	Female Threaded Adaptor 25 × 3/4"	25 × 3/4"	10 / 200
	0894 1102 005	Female Threaded Adaptor 25 × 1"	25 × 1"	10 / 180
	0894 1102 006	Female Threaded Adaptor 32 × 3/4"	32 × 3/4"	10 / 120
	0894 1102 007	Female Threaded Adaptor 32 × 1"	32 × 1"	10 / 120
	0894 1102 008	Female Threaded Adaptor 32 × 1 1/4"	32 × 1 1/4"	10 / 100
	0894 1102 009	Female Threaded Adaptor 40 × 1"	40 × 1"	- / 60
	0894 1102 010	Female Threaded Adaptor 40 × 1 1/4"	40 × 1 1/4"	- / 60
	0894 1102 011	Female Threaded Adaptor 40 × 1 1/2"	40 × 1 1/2"	- / 50
	0894 1102 012	Female Threaded Adaptor 50 × 1 1/4"	50 × 1 1/4"	- / 35
	0894 1102 013	Female Threaded Adaptor 50 × 1 1/2"	50 × 1 1/2"	- / 35
	0894 1102 014	Female Threaded Adaptor 50 × 2"	50 × 2"	- / 35
	0894 1102 015	Female Threaded Adaptor 63 × 1 1/2"	63 × 1 1/2"	- / 24
	0894 1102 016	Female Threaded Adaptor 63 × 2"	63 × 2"	- / 24
	0894 1102 017	Female Threaded Adaptor 63 × 2 1/2"	63 × 2 1/2"	- / 20
	0894 1102 018	Female Threaded Adaptor 75 × 2"	75 × 2"	- / 15
	0894 1102 019	Female Threaded Adaptor 75 × 2 1/2"	75 × 2 1/2"	- / 15
	0894 1102 020	Female Threaded Adaptor 75 × 3"	75 × 3"	- / 12
	0894 1102 021	Female Threaded Adaptor 90 × 2"	90 × 2"	- / 8
	0894 1102 022	Female Threaded Adaptor 90 × 2 1/2"	90 × 2 1/2"	- / 8
	0894 1102 023	Female Threaded Adaptor 90 × 3"	90 × 3"	- / 8
	0894 1102 024	Female Threaded Adaptor 110 × 2"	110 × 2"	- / 6
	0894 1102 025	Female Threaded Adaptor 110 × 3"	110 × 3"	- / 6
	0894 1102 026	Female Threaded Adaptor 110 × 4"	110 × 4"	- / 6

NORMA COMPRESSION FITTINGS

Male Threaded Tee 90°


Male Threaded Tee 90°				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1103 001	Male Threaded Tee 90° 20 × 1/2" × 20	20 × 1/2"	20 / 100
	0894 1103 002	Male Threaded Tee 90° 20 × 3/4" × 20	20 × 3/4"	20 / 100
	0894 1103 003	Male Threaded Tee 90° 25 × 1/2" × 25	25 × 1/2"	10 / 80
	0894 1103 004	Male Threaded Tee 90° 25 × 3/4" × 25	25 × 3/4"	10 / 80
	0894 1103 005	Male Threaded Tee 90° 25 × 1" × 25	25 × 1"	10 / 70
	0894 1103 006	Male Threaded Tee 90° 32 × 3/4" × 32	32 × 3/4"	10 / 50
	0894 1103 007	Male Threaded Tee 90° 32 × 1" × 32	32 × 1"	10 / 50
	0894 1103 008	Male Threaded Tee 90° 32 × 1 1/4" × 32	32 × 1 1/4"	10 / 40
	0894 1103 009	Male Threaded Tee 90° 40 × 1" X40	40 × 1"	- / 28
	0894 1103 010	Male Threaded Tee 90° 40 × 1 1/4" X40	40 × 1 1/4"	- / 28
	0894 1103 011	Male Threaded Tee 90° 40 × 1 1/2" X40	40 × 1 1/2"	- / 25
	0894 1103 012	Male Threaded Tee 90° 50 × 1 1/4" × 50	50 × 1 1/4"	- / 18
	0894 1103 013	Male Threaded Tee 90° 50 × 1 1/2" × 50	50 × 1 1/2"	- / 18
	0894 1103 014	Male Threaded Tee 90° 50 × 2" × 50	50 × 2"	- / 15
	0894 1103 015	Male Threaded Tee 90° 63 × 1 1/2" × 63	63 × 1 1/2"	- / 10
	0894 1103 016	Male Threaded Tee 90° 63 × 2" × 63	63 × 2"	- / 10
	0894 1103 017	Male Threaded Tee 90° 63 × 2 1/2" × 63	63 × 2 1/2"	- / 10
	0894 1103 018	Male Threaded Tee 90° 75 × 2 1/2" × 75	75 × 2 1/2"	- / 6
	0894 1103 019	Male Threaded Tee 90° 75 × 3" × 75	75 × 3"	- / 4
	0894 1103 020	Male Threaded Tee 90° 90 × 3" × 90	90 × 3"	- / 7
	0894 1103 021	Male Threaded Tee 90° 110 × 4" × 110	110 × 4"	- / 5

Female Threaded Tee 90°


Female Threaded Tee 90°				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1104 001	Female Threaded Tee 90° 20 × 1/2" × 20	20 × 1/2"	20 / 100
	0894 1104 002	Female Threaded Tee 90° 20 × 3/4" × 20	20 × 3/4"	20 / 100
	0894 1104 003	Female Threaded Tee 90° 25 × 1/2" × 25	25 × 1/2"	10 / 80
	0894 1104 004	Female Threaded Tee 90° 25 × 3/4" × 25	25 × 3/4"	10 / 80
	0894 1104 005	Female Threaded Tee 90° 25 × 1" × 25	25 × 1"	10 / 80
	0894 1104 006	Female Threaded Tee 90° 32 × 3/4" × 32	32 × 3/4"	10 / 50
	0894 1104 007	Female Threaded Tee 90° 32 × 1" × 32	32 × 1"	10 / 50
	0894 1104 008	Female Threaded Tee 90° 32 × 1 1/4" × 32	32 × 1 1/4"	10 / 40
	0894 1104 009	Female Threaded Tee 90° 40 × 1" × 40	40 × 1"	- / 28
	0894 1104 010	Female Threaded Tee 90° 40 × 1 1/4" × 40	40 × 1 1/4"	- / 28
	0894 1104 011	Female Threaded Tee 90° 40 × 1 1/2" × 40	40 × 1 1/2"	- / 25
	0894 1104 012	Female Threaded Tee 90° 50 × 1 1/4" × 50	50 × 1 1/4"	- / 18
	0894 1104 013	Female Threaded Tee 90° 50 × 1 1/2" × 50	50 × 1 1/2"	- / 18
	0894 1104 014	Female Threaded Tee 90° 50 × 2" × 50	50 × 2"	- / 15
	0894 1104 015	Female Threaded Tee 90° 63 × 1 1/2" × 63	63 × 1 1/2"	- / 10
	0894 1104 016	Female Threaded Tee 90° 63 × 2" × 63	63 × 2"	- / 10
	0894 1104 017	Female Threaded Tee 90° 63 × 2 1/2" × 63	63 × 2 1/2"	- / 10
	0894 1104 018	Female Threaded Tee 90° 75 × 2" × 75	75 × 2"	- / 6
	0894 1104 019	Female Threaded Tee 90° 75 × 2 1/2" × 75	75 × 2 1/2"	- / 6
	0894 1104 020	Female Threaded Tee 90° 75 × 3" × 75	75 × 3"	- / 4
	0894 1104 021	Female Threaded Tee 90° 90 × 2 1/2" × 90	90 × 2 1/2"	- / 3
	0894 1104 022	Female Threaded Tee 90° 90 × 3" × 90	90 × 3"	- / 3
	0894 1104 023	Female Threaded Tee 90° 110 × 3" × 110	110 × 3"	- / 6
	0894 1104 024	Female Threaded Tee 90° 110 × 4" × 110	110 × 4"	- / 6

NORMA COMPRESSION FITTINGS

Male Threaded Elbow 90°


Male Threaded Elbow 90°				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1105 001	Male Threaded Elbow 90° 20 × 1/2"	20 × 1/2"	20 / 200
	0894 1105 002	Male Threaded Elbow 90° 20 × 3/4"	20 × 3/4"	20 / 200
	0894 1105 003	Male Threaded Elbow 90° 25 × 1/2"	25 × 1/2"	10 / 150
	0894 1105 004	Male Threaded Elbow 90° 25 × 3/4"	25 × 3/4"	10 / 150
	0894 1105 005	Male Threaded Elbow 90° 25 × 1"	25 × 1"	10 / 130
	0894 1105 006	Male Threaded Elbow 90° 32 × 3/4"	32 × 3/4"	10 / 90
	0894 1105 007	Male Threaded Elbow 90° 32 × 1"	32 × 1"	10 / 90
	0894 1105 008	Male Threaded Elbow 90° 32 × 1 1/4"	32 × 1 1/4"	10 / 80
	0894 1105 009	Male Threaded Elbow 90° 40 × 1"	40 × 1"	- / 45
	0894 1105 010	Male Threaded Elbow 90° 40 × 1 1/4"	40 × 1 1/4"	- / 45
	0894 1105 011	Male Threaded Elbow 90° 40 × 1 1/2"	40 × 1 1/2"	- / 40
	0894 1105 012	Male Threaded Elbow 90° 50 × 1 1/4"	50 × 1 1/4"	- / 30
	0894 1105 013	Male Threaded Elbow 90° 50 × 1 1/2"	50 × 1 1/2"	- / 30
	0894 1105 014	Male Threaded Elbow 90° 50 × 2"	50 × 2"	- / 25
	0894 1105 015	Male Threaded Elbow 90° 63 × 1 1/2"	63 × 1 1/2"	- / 17
	0894 1105 016	Male Threaded Elbow 90° 63 × 2"	63 × 2"	- / 17
	0894 1105 017	Male Threaded Elbow 90° 63 × 2 1/2"	63 × 2 1/2"	- / 15
	0894 1105 018	Male Threaded Elbow 90° 75 × 2 1/2"	75 × 2 1/2"	- / 10
	0894 1105 019	Male Threaded Elbow 90° 75 × 3"	75 × 3"	- / 10
	0894 1105 020	Male Threaded Elbow 90° 90 × 3"	90 × 3"	- / 5
	0894 1105 021	Male Threaded Elbow 90° 90 × 4"	90 × 4"	- / 5
	0894 1105 022	Male Threaded Elbow 90° 110 × 4"	110 × 4"	- / 3

Female Threaded Elbow 90°


Female Threaded Elbow 90°				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1106 001	Female Threaded Elbow 90° 20 × 1/2"	20 / 200	20 / 200
	0894 1106 002	Female Threaded Elbow 90° 20 × 3/4"	20 / 200	20 / 200
	0894 1106 003	Female Threaded Elbow 90° 25 × 1/2"	10 / 150	10 / 150
	0894 1106 004	Female Threaded Elbow 90° 25 × 3/4"	10 / 150	10 / 150
	0894 1106 005	Female Threaded Elbow 90° 25 × 1"	10 / 130	10 / 130
	0894 1106 006	Female Threaded Elbow 90° 32 × 3/4"	10 / 90	10 / 90
	0894 1106 007	Female Threaded Elbow 90° 32 × 1"	10 / 90	10 / 90
	0894 1106 008	Female Threaded Elbow 90° 32 × 1 1/4"	10 / 80	10 / 80
	0894 1106 009	Female Threaded Elbow 90° 40 × 1 1/4"	- / 45	- / 45
	0894 1106 010	Female Threaded Elbow 90° 40 × 1 1/2"	- / 40	- / 40
	0894 1106 011	Female Threaded Elbow 90° 50 × 1 1/4"	- / 30	- / 30
	0894 1106 012	Female Threaded Elbow 90° 50 × 1 1/2"	- / 30	- / 30
	0894 1106 013	Female Threaded Elbow 90° 50 × 2"	- / 25	- / 25
	0894 1106 014	Female Threaded Elbow 90° 63 × 1 1/2"	- / 17	- / 17
	0894 1106 015	Female Threaded Elbow 90° 63 × 2"	- / 17	- / 17
	0894 1106 016	Female Threaded Elbow 90° 63 × 2 1/2"	- / 15	- / 15
	0894 1106 017	Female Threaded Elbow 90° 75 × 2 1/2"	- / 10	- / 10
	0894 1106 018	Female Threaded Elbow 90° 75 × 3"	- / 10	- / 10
	0894 1106 019	Female Threaded Elbow 90° 90 × 3"	- / 5	- / 5
	0894 1106 020	Female Threaded Elbow 90° 90 × 4"	- / 4	- / 4
	0894 1106 021	Female Threaded Elbow 90° 110 × 4"	- / 3	- / 3

NORMA COMPRESSION FITTINGS

Straight Coupler

Straight Coupler				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1107 001	Straight Coupler 20	20	20 / 160
	0894 1107 002	Straight Coupler 25	25	10 / 100
	0894 1107 003	Straight Coupler 32	32	10 / 60
	0894 1107 004	Straight Coupler 40	40	- / 40
	0894 1107 005	Straight Coupler 50	50	- / 25
	0894 1107 006	Straight Coupler 63	63	- / 15
	0894 1107 007	Straight Coupler 75	75	- / 8
	0894 1107 008	Straight Coupler 90	90	- / 5
	0894 1107 009	Straight Coupler 110	110	- / 3


Elbow 90°

Elbow 90°				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1108 001	Elbow 90° 20	20	20 / 120
	0894 1108 002	Elbow 90° 25	25	10 / 100
	0894 1108 003	Elbow 90° 32	32	10 / 60
	0894 1108 004	Elbow 90° 40	40	- / 30
	0894 1108 005	Elbow 90° 50	50	- / 20
	0894 1108 006	Elbow 90° 63	63	- / 12
	0894 1108 007	Elbow 90° 75	75	- / 6
	0894 1108 008	Elbow 90° 90	90	- / 3
	0894 1108 009	Elbow 90° 110	110	- / 6

Equal Tee 90°


Equal Tee 90°				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1109 001	Equal Tee 90° 20	20	20 / 80
	0894 1109 002	Equal Tee 90° 25	25	10 / 60
	0894 1109 003	Equal Tee 90° 32	32	10 / 30
	0894 1109 004	Equal Tee 90° 40	40	- / 20
	0894 1109 005	Equal Tee 90° 50	50	- / 12
	0894 1109 006	Equal Tee 90° 63	63	- / 8
	0894 1109 007	Equal Tee 90° 75	75	- / 4
	0894 1109 008	Equal Tee 90° 90	90	- / 5
	0894 1109 009	Equal Tee 90° 110	110	- / 4

End Cap


End Cap				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1110 001	End Cap 20	20	20 / 280
	0894 1110 002	End Cap 25	25	10 / 200
	0894 1110 003	End Cap 32	32	10 / 120
	0894 1110 004	End Cap 40	40	- / 60
	0894 1110 005	End Cap 50	50	- / 40
	0894 1110 006	End Cap 63	63	- / 24
	0894 1110 007	End Cap 75	75	- / 15
	0894 1110 008	End Cap 90	90	- / 9
	0894 1110 009	End Cap 110	110	- / 6

NORMA COMPRESSION FITTINGS


Reducing Coupler

Reducing Coupler				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1111 001	Reducing Coupler 25 × 20	25 × 20	10 / 120
	0894 1111 002	Reducing Coupler 32 × 20	32 × 20	10 / 80
	0894 1111 003	Reducing Coupler 32 × 25	32 × 25	10 / 80
	0894 1111 004	Reducing Coupler 40 × 25	40 × 25	- / 45
	0894 1111 005	Reducing Coupler 40 × 32	40 × 32	- / 40
	0894 1111 006	Reducing Coupler 50 × 32	50 × 32	- / 30
	0894 1111 007	Reducing Coupler 50 × 40	50 × 40	- / 30
	0894 1111 008	Reducing Coupler 63 × 25	63 × 25	- / 20
	0894 1111 009	Reducing Coupler 63 × 32	63 × 32	- / 20
	0894 1111 010	Reducing Coupler 63 × 40	63 × 40	- / 15
	0894 1111 011	Reducing Coupler 63 × 50	63 × 50	- / 15
	0894 1111 012	Reducing Coupler 75 × 50	75 × 50	- / 12
	0894 1111 013	Reducing Coupler 75 × 63	75 × 63	- / 8
	0894 1111 014	Reducing Coupler 90 × 63	90 × 63	- / 6
	0894 1111 015	Reducing Coupler 90 × 75	90 × 75	- / 6
	0894 1111 016	Reducing Coupler 110 × 63	110 × 63	- / 4
	0894 1111 017	Reducing Coupler 110 × 75	110 × 75	- / 4
	0894 1111 018	Reducing Coupler 110 × 90	110 × 90	- / 3


Reducing Tee

Reducing Tee				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1112 001	Reducing Tee 90° 25 × 20 × 25	25 × 20	10 / 60
	0894 1112 002	Reducing Tee 90° 32 × 25 × 32	32 × 25	10 / 40
	0894 1112 003	Reducing Tee 90° 40 × 32 × 40	40 × 32	- / 21
	0894 1112 004	Reducing Tee 90° 50 × 32 × 50	50 × 32	- / 14
	0894 1112 005	Reducing Tee 90° 50 × 40 × 50	50 × 40	- / 14
	0894 1112 006	Reducing Tee 90° 63 × 32 × 63	63 × 32	- / 8
	0894 1112 007	Reducing Tee 90° 63 × 50 × 63	63 × 50	- / 8
	0894 1112 008	Reducing Tee 90° 75 × 63 × 75	75 × 63	- / 4
	0894 1112 009	Reducing Tee 90° 90 × 75 × 90	90 × 75	- / 5
	0894 1112 010	Reducing Tee 90° 110 × 90 × 110	110 × 90	- / 4


Flange Adaptor

Flange Adaptor				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1113 001	Flange Adaptor 50 × 1 1/2" (DN40)	50 × DN40	- / 20
	0894 1113 002	Flange Adaptor 63 × 2" (DN50)	63 × DN50	- / 15
	0894 1113 003	Flange Adaptor 75 × 2 1/2" (DN65)	75 × DN65	- / 8
	0894 1113 004	Flange Adaptor 90 × 3" (DN80)	90 × DN80	- / 5


Lateral Threaded Female Elbow 90°

Lateral Threaded Female Elbow 90°				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1114 001	Lateral Threaded Female Elbow 90° 25 × 1/2"	25 × 1/2"	10 / 100
	0894 1114 002	Lateral Threaded Female Elbow 90° 32 × 3/4"	32 × 3/4"	10 / 60

Wall Plate Elbow


Wall Plate Elbow				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1115 001	Wall Plate Elbow 20 × 1/2"	20 × 1/2"	20 / 160
	0894 1115 002	Wall Plate Elbow 25 × 1/2"	25 × 1/2"	10 / 100
	0894 1115 003	Wall Plate Elbow 25 × 3/4"	25 × 3/4"	10 / 100
	0894 1115 004	Wall Plate Elbow 32 × 1"	32 × 1"	10 / 60

Male Brass Threaded Adaptor

Male Brass Threaded Adaptor				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1116 001	Male Brass Threaded Adaptor 20 × 1/2"	20 × 1/2"	5 / 80
	0894 1116 002	Male Brass Threaded Adaptor 25 × 3/4"	25 × 3/4"	5 / 65
	0894 1116 003	Male Brass Threaded Adaptor 32 × 1"	32 × 1"	5 / 35
	0894 1116 004	Male Brass Threaded Adaptor 32 × 1 1/4"	32 × 1 1/4"	5 / 35

NORMA COMPRESSION FITTINGS


Female Brass Threaded Adaptor

Female Brass Threaded Adaptor				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1117 001	Female Brass Threaded Adaptor 20 × 1/2"	20 × 1/2"	5 / 80
	0894 1117 002	Female Brass Threaded Adaptor 25 × 3/4"	25 × 3/4"	5 / 65
	0894 1117 003	Female Brass Threaded Adaptor 32 × 1"	32 × 1"	5 / 35


Male Brass Threaded Elbow 90°

Male Brass Threaded Elbow 90°				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1118 001	Male Brass Threaded Elbow 90° 20 × 1/2"	20 × 1/2"	5 / 80
	0894 1118 002	Male Brass Threaded Elbow 90° 25 × 3/4"	25 × 3/4"	5 / 55
	0894 1118 003	Male Brass Threaded Elbow 90° 32 × 1"	32 × 1"	5 / 35

Female Brass Threaded Elbow 90°

Female Brass Threaded Elbow 90°				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1119 001	Female Brass Threaded Elbow 90° 20 × 1/2"	20 × 1/2"	5 / 80
	0894 1119 002	Female Brass Threaded Elbow 90° 25 × 3/4"	25 × 3/4"	5 / 55
	0894 1119 003	Female Brass Threaded Elbow 90° 32 × 1"	32 × 1"	5 / 35

Compression Stop Cock Valve

Compression Stop Cock Valve				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0894 1120 001	Compression Stop Cock Valve 20	20	- / 60
	0894 1120 002	Compression Stop Cock Valve 25	25	- / 40
	0894 1120 003	Compression Stop Cock Valve 32	32	- / 30



NORMA PN 16



High-performance compression fittings by NORMA



- ✓ Ideal for high-pressure applications
- ✓ Perfect water tightness
- ✓ Fast and easy connection
- ✓ Locking nut for clinching system
- ✓ High UV and temperature resistance
- ✓ Safe and durable

Love what you see? Here are some more products you may like.



Clamp Saddle




Threaded Fitting



NORMA Ball Valve



Technical Information




Applications

Ideally suited for more demanding irrigation applications like public parks, sports fields, golf courses and high-end agriculture-based irrigation. It is also suited for industrial applications.

Material


Body	Polypropylene	Working pressure: 16 bar (PN 16) up to \varnothing 63 mm and 12.5 bar for \varnothing larger than 63 mm.
O-Ring	NBR	
Holder	Polypropylene	
Clinching Ring	POM (Acetal)	
Locking Nut	Polypropylene	




Installation Tips




01 Unscrew the nut one or two turns or to the last thread.



02 Cut the pipe and deburr if necessary. Mark the insertion depth.




03 Push the pipe to the mark or the stop-end.




04 Screw the nut on tight. The nut can be tightened manually or using a hook tool.

NORMA COMPRESSION FITTINGS

Male Threaded Adaptor - MA


Male Threaded Adaptor - MA					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2601 111	Male Threaded Adaptor (MA) - 16 x 1/2"	Blue	16 x 1/2	10 / 800
	0796 2601 112	Male Threaded Adaptor (MA) - 16 x 3/4"	Blue	16 x 3/4	10 / 800
	0796 2651 118	Male Threaded Adaptor (MA) - 20 x 1/2"	Blue	20 x 1/2	10 / 400
	0796 2651 120	Male Threaded Adaptor (MA) - 20 x 3/4"	Blue	20 x 3/4	10 / 400
	0796 2651 117	Male Threaded Adaptor (MA) - 20 x 1"	Blue	20 x 1	10 / 400
	0796 2651 121	Male Threaded Adaptor (MA) - 25 x 1/2"	Blue	25 x 1/2	10 / 250
	0796 2651 122	Male Threaded Adaptor (MA) - 25 x 3/4"	Blue	25 x 3/4	10 / 250
	0796 2651 124	Male Threaded Adaptor (MA) - 25 x 1"	Blue	25 x 1	10 / 250
	0796 2651 126	Male Threaded Adaptor (MA) - 32 x 1/2"	Blue	32 x 1/2	10 / 160
	0796 2651 127	Male Threaded Adaptor (MA) - 32 x 3/4"	Blue	32 x 3/4	10 / 160
	0796 2651 128	Male Threaded Adaptor (MA) - 32 x 1"	Blue	32 x 1	10 / 160
	0796 2651 130	Male Threaded Adaptor (MA) - 32 x 1 1/4"	Blue	32 x 1 1/4	10 / 160
	0796 2651 131	Male Threaded Adaptor (MA) - 40 x 3/4"	Blue	40 x 3/4	20 / 100
	0796 2651 132	Male Threaded Adaptor (MA) - 40 x 1"	Blue	40 x 1	20 / 100
	0796 2651 133	Male Threaded Adaptor (MA) - 40 x 1 1/4"	Blue	40 x 1 1/4	20 / 100
	0796 2651 134	Male Threaded Adaptor (MA) - 40 x 1 1/2"	Blue	40 x 1 1/2	20 / 100
	0796 2651 135	Male Threaded Adaptor (MA) - 50 x 1 1/4"	Blue	50 x 1 1/4	10 / 50
	0796 2651 136	Male Threaded Adaptor (MA) - 50 x 1 1/2"	Blue	50 x 1 1/2	10 / 50
	0796 2651 137	Male Threaded Adaptor (MA) - 50 x 2"	Blue	50 x 2	10 / 50
	0796 2651 138	Male Threaded Adaptor (MA) - 63 x 1 1/2"	Blue	63 x 1 1/2	8 / 32
0796 2651 139	Male Threaded Adaptor (MA) - 63 x 2"	Blue	63 x 2	8 / 32	
0796 2640 310	Male Threaded Adaptor (MA) - 75 x 2"	Blue	75 x 2	1 / 25	
0796 2640 311	Male Threaded Adaptor (MA) - 75 x 2 1/2"	Blue	75 x 2 1/2	1 / 25	
0796 2640 312	Male Threaded Adaptor (MA) - 90 x 3"	Blue	90 x 3	1 / 16	
0796 2640 313	Male Threaded Adaptor (MA) - 110 x 4"	Blue	110 x 4	1 / 8	

Female Threaded Adaptor - FA


Female Threaded Adaptor - FA					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2602 111	Female Threaded Adaptor (FA) - 16 x 1/2"	Blue	16 x 1/2	10 / 800
	0796 2602 112	Female Threaded Adaptor (FA) - 16 x 3/4"	Blue	16 x 3/4	10 / 800
	0796 2651 018	Female Threaded Adaptor (FA) - 20 x 1/2"	Blue	20 x 1/2	10 / 400
	0796 2651 020	Female Threaded Adaptor (FA) - 20 x 3/4"	Blue	20 x 3/4	10 / 400
	0796 2651 022	Female Threaded Adaptor (FA) - 25 x 1/2"	Blue	25 x 1/2	10 / 250
	0796 2651 025	Female Threaded Adaptor (FA) - 25 x 3/4"	Blue	25 x 3/4	10 / 250
	0796 2651 028	Female Threaded Adaptor (FA) - 25 x 1"	Blue	25 x 1	10 / 250
	0796 2651 030	Female Threaded Adaptor (FA) - 32 x 3/4"	Blue	32 x 3/4	10 / 160
	0796 2651 033	Female Threaded Adaptor (FA) - 32 x 1"	Blue	32 x 1	10 / 160
	0796 2651 035	Female Threaded Adaptor (FA) - 32 x 1 1/4"	Blue	32 x 1 1/4	10 / 160
	0796 2651 037	Female Threaded Adaptor (FA) - 40 x 1"	Blue	40 x 1	20 / 100
	0796 2651 039	Female Threaded Adaptor (FA) - 40 x 1 1/4"	Blue	40 x 1 1/4	20 / 100
	0796 2651 041	Female Threaded Adaptor (FA) - 40 x 1 1/2"	Blue	40 x 1 1/2	20 / 100
	0796 2651 043	Female Threaded Adaptor (FA) - 50 x 1 1/2"	Blue	50 x 1 1/2	10 / 50
	0796 2651 045	Female Threaded Adaptor (FA) - 50 x 2"	Blue	50 x 2	10 / 50
	0796 2651 047	Female Threaded Adaptor (FA) - 63 x 1 1/2"	Blue	63 x 1 1/2	8 / 32
	0796 2651 049	Female Threaded Adaptor (FA) - 63 x 2"	Blue	63 x 2	8 / 32
	0796 2640 291	Female Threaded Adaptor (FA) - 75 x 2"	Blue	75 x 2	1 / 25
	0796 2640 293	Female Threaded Adaptor (FA) - 75 x 2 1/2"	Blue	75 x 2 1/2	1 / 25
	0796 2640 295	Female Threaded Adaptor (FA) - 90 x 3"	Blue	90 x 3	1 / 16
0796 2640 297	Female Threaded Adaptor (FA) - 110 x 4"	Blue	110 x 4	1 / 8	

NORMA COMPRESSION FITTINGS

Male Threaded Tee - MT


Male Threaded Tee - MT					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2603 111	Male Threaded Tee (MT) - 16 x 1/2"	Blue	16 x 1/2	10 / 400
	0796 2603 112	Male Threaded Tee (MT) - 16 x 3/4"	Blue	16 x 3/4	10 / 400
	0796 2651 154	Male Threaded Tee (MT) - 20 x 1/2"	Blue	20 x 1/2	10 / 160
	0796 2651 155	Male Threaded Tee (MT) - 20 x 3/4"	Blue	20 x 3/4	10 / 160
	0796 2651 156	Male Threaded Tee (MT) - 25 x 1/2"	Blue	25 x 1/2	10 / 100
	0796 2651 157	Male Threaded Tee (MT) - 25 x 3/4"	Blue	25 x 3/4	10 / 100
	0796 2651 158	Male Threaded Tee (MT) - 25 x 1"	Blue	25 x 1	10 / 100
	0796 2651 159	Male Threaded Tee (MT) - 32 x 3/4"	Blue	32 x 3/4	10 / 70
	0796 2651 160	Male Threaded Tee (MT) - 32 x 1"	Blue	32 x 1	10 / 70
	0796 2651 161	Male Threaded Tee (MT) - 40 x 1"	Blue	40 x 1	8 / 32
	0796 2651 162	Male Threaded Tee (MT) - 40 x 1 1/4"	Blue	40 x 1 1/4	8 / 32
	0796 2651 163	Male Threaded Tee (MT) - 50 x 1 1/4"	Blue	50 x 1 1/4	6 / 24
	0796 2651 164	Male Threaded Tee (MT) - 50 x 1 1/2"	Blue	50 x 1 1/2	6 / 24
	0796 2651 165	Male Threaded Tee (MT) - 63 x 2"	Blue	63 x 2	1 / 15
	0796 2640 318	Male Threaded Tee (MT) - 75 x 2"	Blue	75 x 2	1 / 10
	0796 2640 319	Male Threaded Tee (MT) - 75 x 2 1/2"	Blue	75 x 2 1/2	1 / 10
	0796 2640 320	Male Threaded Tee (MT) - 90 x 3"	Blue	90 x 3	1 / 6
	0796 2640 321	Male Threaded Tee (MT) - 110 x 4"	Blue	110 x 4	1 / 3

Female Threaded Tee - FT


Female Threaded Tee - FT					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2604 111	Female Threaded Tee (FT) - 16 x 1/2"	Blue	16 x 1/2	10 / 350
	0796 2604 112	Female Threaded Tee (FT) - 16 x 3/4"	Blue	16 x 3/4	10 / 350
	0796 2651 088	Female Threaded Tee (FT) - 20 x 1/2"	Blue	20 x 1/2	10 / 160
	0796 2651 090	Female Threaded Tee (FT) - 20 x 3/4"	Blue	20 x 3/4	10 / 160
	0796 2651 092	Female Threaded Tee (FT) - 25 x 1/2"	Blue	25 x 1/2	10 / 100
	0796 2651 094	Female Threaded Tee (FT) - 25 x 3/4"	Blue	25 x 3/4	10 / 100
	0796 2651 096	Female Threaded Tee (FT) - 25 x 1"	Blue	25 x 1	10 / 100
	0796 2651 098	Female Threaded Tee (FT) - 32 x 3/4"	Blue	32 x 3/4	10 / 70
	0796 2651 100	Female Threaded Tee (FT) - 32 x 1"	Blue	32 x 1	10 / 70
	0796 2651 102	Female Threaded Tee (FT) - 32 x 1 1/4"	Blue	32 x 1 1/4	10 / 70
	0796 2651 104	Female Threaded Tee (FT) - 40 x 1"	Blue	40 x 1	8 / 32
	0796 2651 106	Female Threaded Tee (FT) - 40 x 1 1/4"	Blue	40 x 1 1/4	8 / 32
	0796 2651 108	Female Threaded Tee (FT) - 40 x 1 1/2"	Blue	40 x 1 1/2	8 / 32
	0796 2651 110	Female Threaded Tee (FT) - 50 x 1 1/2"	Blue	50 x 1 1/2	6 / 24
	0796 2651 112	Female Threaded Tee (FT) - 50 x 2"	Blue	50 x 2	6 / 24
	0796 2651 114	Female Threaded Tee (FT) - 63 x 1 1/2"	Blue	63 x 1 1/2	1 / 15
	0796 2651 116	Female Threaded Tee (FT) - 63 x 2"	Blue	63 x 2	1 / 15
	0796 2640 305	Female Threaded Tee (FT) - 75 x 2 1/2"	Blue	75 x 2 1/2	1 / 10
	0796 2640 307	Female Threaded Tee (FT) - 90 x 3"	Blue	90 x 3	1 / 6
0796 2640 309	Female Threaded Tee (FT) - 110 x 4"	Blue	110 x 4	1 / 3	

NORMA COMPRESSION FITTINGS

Male Threaded Elbow - MB

Male Threaded Elbow - MB					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2605 111	Male Threaded Elbow - Male Bend 90° (MB) - 16 × 1/2"	Blue	16 × 1/2	10 / 600
	0796 2605 112	Male Threaded Elbow - Male Bend 90° (MB) - 16 × 3/4"	Blue	16 × 3/4	10 / 600
	0796 2651 140	Male Threaded Elbow - Male Bend 90° (MB) - 20 × 1/2"	Blue	20 × 1/2	10 / 300
	0796 2651 141	Male Threaded Elbow - Male Bend 90° (MB) - 20 × 3/4"	Blue	20 × 3/4	10 / 300
	0796 2651 142	Male Threaded Elbow - Male Bend 90° (MB) - 25 × 1/2"	Blue	25 × 1/2	10 / 200
	0796 2651 143	Male Threaded Elbow - Male Bend 90° (MB) - 25 × 3/4"	Blue	25 × 3/4	10 / 200
	0796 2651 144	Male Threaded Elbow - Male Bend 90° (MB) - 25 × 1"	Blue	25 × 1	10 / 200
	0796 2651 145	Male Threaded Elbow - Male Bend 90° (MB) - 32 × 3/4"	Blue	32 × 3/4	10 / 120
	0796 2651 146	Male Threaded Elbow - Male Bend 90° (MB) - 32 × 1"	Blue	32 × 1	10 / 120
	0796 2651 147	Male Threaded Elbow - Male Bend 90° (MB) - 40 × 1"	Blue	40 × 1	16 / 64
	0796 2651 148	Male Threaded Elbow - Male Bend 90° (MB) - 40 × 1 1/4"	Blue	40 × 1 1/4	16 / 64
	0796 2651 149	Male Threaded Elbow - Male Bend 90° (MB) - 40 × 1 1/2"	Blue	40 × 1 1/2	16 / 64
	0796 2651 150	Male Threaded Elbow - Male Bend 90° (MB) - 50 × 1 1/4"	Blue	50 × 1 1/4	10 / 40
	0796 2651 151	Male Threaded Elbow - Male Bend 90° (MB) - 50 × 1 1/2"	Blue	50 × 1 1/2	10 / 40
	0796 2651 152	Male Threaded Elbow - Male Bend 90° (MB) - 50 × 2"	Blue	50 × 2	10 / 40
	0796 2651 153	Male Threaded Elbow - Male Bend 90° (MB) - 63 × 2"	Blue	63 × 2	6 / 24
	0796 2640 314	Male Threaded Elbow - Male Bend 90° (MB) - 75 × 2"	Blue	75 × 2	1 / 16
	0796 2640 315	Male Threaded Elbow - Male Bend 90° (MB) - 75 × 2 1/2"	Blue	75 × 2 1/2	1 / 16
	0796 2640 316	Male Threaded Elbow - Male Bend 90° (MB) - 90 × 3"	Blue	90 × 3	1 / 10
0796 2640 317	Male Threaded Elbow - Male Bend 90° (MB) - 110 × 4"	Blue	110 × 4	1 / 6	

Female Threaded Elbow - FB

Female Threaded Elbow - FB					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2606 111	Female Threaded Elbow - Female Bend 90° (FB) - 16 x 1/2"	Blue	16 x 1/2	10 / 600
	0796 2606 112	Female Threaded Elbow - Female Bend 90° (FB) - 16 x 3/4"	Blue	16 x 3/4	10 / 600
	0796 2651 051	Female Threaded Elbow - Female Bend 90° (FB) - 20 x 1/2"	Blue	20 x 1/2	10 / 300
	0796 2651 054	Female Threaded Elbow - Female Bend 90° (FB) - 20 x 3/4"	Blue	20 x 3/4	10 / 300
	0796 2651 056	Female Threaded Elbow - Female Bend 90° (FB) - 25 x 1/2"	Blue	25 x 1/2	10 / 200
	0796 2651 059	Female Threaded Elbow - Female Bend 90° (FB) - 25 x 3/4"	Blue	25 x 3/4	10 / 200
	0796 2651 061	Female Threaded Elbow - Female Bend 90° (FB) - 25 x 1"	Blue	25 x 1	10 / 200
	0796 2651 063	Female Threaded Elbow - Female Bend 90° (FB) - 32 x 1/2"	Blue	32 x 1/2	10 / 120
	0796 2651 065	Female Threaded Elbow - Female Bend 90° (FB) - 32 x 3/4"	Blue	32 x 3/4	10 / 120
	0796 2651 068	Female Threaded Elbow - Female Bend 90° (FB) - 32 x 1"	Blue	32 x 1	10 / 120
	0796 2651 070	Female Threaded Elbow - Female Bend 90° (FB) - 32 x 1 1/4"	Blue	32 x 1 1/4	10 / 120
	0796 2651 072	Female Threaded Elbow - Female Bend 90° (FB) - 40 x 1"	Blue	40 x 1	16 / 64
	0796 2651 074	Female Threaded Elbow - Female Bend 90° (FB) - 40 x 1 1/4"	Blue	40 x 1 1/4	16 / 64
	0796 2651 076	Female Threaded Elbow - Female Bend 90° (FB) - 40 x 1 1/2"	Blue	40 x 1 1/2	16 / 64
	0796 2651 078	Female Threaded Elbow - Female Bend 90° (FB) - 50 x 1 1/4"	Blue	50 x 1 1/4	10 / 40
	0796 2651 080	Female Threaded Elbow - Female Bend 90° (FB) - 50 x 1 1/2"	Blue	50 x 1 1/2	10 / 40
	0796 2651 082	Female Threaded Elbow - Female Bend 90° (FB) - 50 x 2"	Blue	50 x 2	10 / 40
	0796 2651 084	Female Threaded Elbow - Female Bend 90° (FB) - 63 x 1 1/2"	Blue	63 x 1 1/2	6 / 24
	0796 2651 086	Female Threaded Elbow - Female Bend 90° (FB) - 63 x 2"	Blue	63 x 2	6 / 24
	0796 2640 299	Female Threaded Elbow - Female Bend 90° (FB) - 75 x 2 1/2"	Blue	75 x 2 1/2	1 / 16
0796 2640 301	Female Threaded Elbow - Female Bend 90° (FB) - 90 x 3"	Blue	90 x 3	1 / 10	
0796 2640 303	Female Threaded Elbow - Female Bend 90° (FB) - 110 x 4"	Blue	110 x 4	1 / 6	

NORMA COMPRESSION FITTINGS

Straight Coupler - SC

Straight Coupler - SC					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2607 111	Straight Coupler (SC) - 16	Blue	16	10 / 500
	0796 2651 191	Straight Coupler (SC) - 20	Blue	20	10 / 250
	0796 2651 192	Straight Coupler (SC) - 25	Blue	25	10 / 150
	0796 2651 193	Straight Coupler (SC) - 32	Blue	32	10 / 100
	0796 2651 194	Straight Coupler (SC) - 40	Blue	40	10 / 50
	0796 2651 195	Straight Coupler (SC) - 50	Blue	50	8 / 32
	0796 2651 196	Straight Coupler (SC) - 63	Blue	63	1 / 20
	0796 2640 334	Straight Coupler (SC) - 75	Blue	75	1 / 14
	0796 2640 335	Straight Coupler (SC) - 90	Blue	90	1 / 12
	0796 2640 336	Straight Coupler (SC) - 110	Blue	110	1 / 5

Equal Bend - EB

Equal Bend - EB					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2608 111	Equal Bend (EB) - 16	Blue	16	10 / 500
	0796 2650 998	Equal Bend (EB) - 20	Blue	20	10 / 250
	0796 2650 999	Equal Bend (EB) - 25	Blue	25	10 / 150
	0796 2651 000	Equal Bend (EB) - 32	Blue	32	10 / 80
	0796 2651 001	Equal Bend (EB) - 40	Blue	40	10 / 50
	0796 2651 002	Equal Bend (EB) - 50	Blue	50	8 / 32
	0796 2651 003	Equal Bend (EB) - 63	Blue	63	5 / 15
	0796 2640 281	Equal Bend (EB) - 75	Blue	75	1 / 12
	0796 2640 282	Equal Bend (EB) - 90	Blue	90	1 / 8
	0796 2640 283	Equal Bend (EB) - 110	Blue	110	1 / 4

Equal Tee - ET


Equal Tee - ET					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2609 111	Equal Tee (ET) - 16	Blue	16	10 / 300
	0796 2651 010	Equal Tee (ET) - 20	Blue	20	10 / 150
	0796 2651 011	Equal Tee (ET) - 25	Blue	25	10 / 100
	0796 2651 012	Equal Tee (ET) - 32	Blue	32	10 / 50
	0796 2651 013	Equal Tee (ET) - 40	Blue	40	8 / 32
	0796 2651 014	Equal Tee (ET) - 50	Blue	50	5 / 20
	0796 2651 015	Equal Tee (ET) - 63	Blue	63	1 / 12
	0796 2640 287	Equal Tee (ET) - 75	Blue	75	1 / 8
	0796 2640 288	Equal Tee (ET) - 90	Blue	90	1 / 5
	0796 2640 289	Equal Tee (ET) - 110	Blue	110	1 / 3

End Cap - EC


End Cap - EC					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2610 111	End Cap (EC) - 16	Blue	16	10 / 1000
	0796 2651 004	End Cap (EC) - 20	Blue	20	10 / 400
	0796 2651 005	End Cap (EC) - 25	Blue	25	10 / 250
	0796 2651 006	End Cap (EC) - 32	Blue	32	10 / 160
	0796 2651 007	End Cap (EC) - 40	Blue	40	20 / 100
	0796 2651 008	End Cap (EC) - 50	Blue	50	10 / 50
	0796 2651 009	End Cap (EC) - 63	Blue	63	8 / 32
	0796 2640 284	End Cap (EC) - 75	Blue	75	1 / 25
	0796 2640 285	End Cap (EC) - 90	Blue	90	1 / 16
	0796 2640 286	End Cap (EC) - 110	Blue	110	1 / 8

NORMA COMPRESSION FITTINGS


Reducing Coupler - RC

Reducing Coupler - RC					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2611 111	Reducing Coupler (RC) - 20 x 16	Blue	20 x 16	10 / 400
	0796 2651 166	Reducing Coupler (RC) - 25 x 20	Blue	25 x 20	10 / 200
	0796 2651 167	Reducing Coupler (RC) - 32 x 20	Blue	32 x 20	10 / 120
	0796 2651 168	Reducing Coupler (RC) - 32 x 25	Blue	32 x 25	10 / 120
	0796 2651 169	Reducing Coupler (RC) - 40 x 20	Blue	40 x 20	15 / 60
	0796 2651 170	Reducing Coupler (RC) - 40 x 25	Blue	40 x 25	15 / 60
	0796 2651 171	Reducing Coupler (RC) - 40 x 32	Blue	40 x 32	15 / 60
	0796 2651 172	Reducing Coupler (RC) - 50 x 20	Blue	50 x 20	10 / 50
	0796 2651 173	Reducing Coupler (RC) - 50 x 25	Blue	50 x 25	10 / 50
	0796 2651 174	Reducing Coupler (RC) - 50 x 32	Blue	50 x 32	10 / 50
	0796 2651 175	Reducing Coupler (RC) - 50 x 40	Blue	50 x 40	8 / 32
	0796 2651 176	Reducing Coupler (RC) - 63 x 25	Blue	63 x 25	6 / 30
	0796 2651 177	Reducing Coupler (RC) - 63 x 32	Blue	63 x 32	6 / 30
	0796 2651 178	Reducing Coupler (RC) - 63 x 40	Blue	63 x 40	6 / 24
	0796 2651 179	Reducing Coupler (RC) - 63 x 50	Blue	63 x 50	6 / 24
	0796 2640 322	Reducing Coupler (RC) - 75 x 40	Blue	75 x 40	1 / 16
	0796 2640 323	Reducing Coupler (RC) - 75 x 50	Blue	75 x 50	1 / 16
	0796 2640 324	Reducing Coupler (RC) - 75 x 63	Blue	75 x 63	1 / 16
	0796 2640 325	Reducing Coupler (RC) - 90 x 63	Blue	90 x 63	1 / 12
	0796 2640 326	Reducing Coupler (RC) - 90 x 75	Blue	90 x 75	1 / 12
0796 2640 327	Reducing Coupler (RC) - 110 x 90	Blue	110 x 90	1 / 6	

Reducing Tee - RT

Reducing Tee - RT					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2651 180	Reducing Tee (RT) - 25 x 20	Blue	25 x 20	10 / 100
	0796 2651 181	Reducing Tee (RT) - 32 x 20	Blue	32 x 20	10 / 70
	0796 2651 182	Reducing Tee (RT) - 32 x 25	Blue	32 x 25	10 / 70
	0796 2651 183	Reducing Tee (RT) - 40 x 25	Blue	40 x 25	8 / 32
	0796 2651 184	Reducing Tee (RT) - 40 x 32	Blue	40 x 32	8 / 32
	0796 2651 185	Reducing Tee (RT) - 50 x 25	Blue	50 x 25	6 / 24
	0796 2651 186	Reducing Tee (RT) - 50 x 32	Blue	50 x 32	6 / 24
	0796 2651 187	Reducing Tee (RT) - 50 x 40	Blue	50 x 40	5 / 20
	0796 2651 188	Reducing Tee (RT) - 63 x 32	Blue	63 x 32	1 / 15
	0796 2651 189	Reducing Tee (RT) - 63 x 40	Blue	63 x 40	1 / 15
	0796 2651 190	Reducing Tee (RT) - 63 x 50	Blue	63 x 50	1 / 12
	0796 2640 328	Reducing Tee (RT) - 75 x 40	Blue	75 x 40	1 / 8
	0796 2640 329	Reducing Tee (RT) - 75 x 50	Blue	75 x 50	1 / 8
	0796 2640 330	Reducing Tee (RT) - 75 x 63	Blue	75 x 63	1 / 8
	0796 2640 331	Reducing Tee (RT) - 90 x 63	Blue	90 x 63	1 / 6
	0796 2640 332	Reducing Tee (RT) - 90 x 75	Blue	90 x 75	1 / 6
0796 2640 333	Reducing Tee (RT) - 110 x 90	Blue	110 x 90	1 / 3	

Flange Adaptor - FLA

Flange Adaptor - FLA					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2600 016	Flange Adaptor (FLA) - 63 x 50DN	Blue	63 x 50DN	1 / 20
	0796 2600 017	Flange Adaptor (FLA) - 90 x 80DN	Blue	90 x 80DN	1 / 9
	0796 2600 018	Flange Adaptor (FLA) - 110 x 100DN	Blue	110 x 100DN	1 / 6

NOTE: DN refers to nominal diameter of the flange

Pop-Up Equal Bend - PE

Pop-Up Equal Bend - PE					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2030 181	Pop-up Equal Bend (PE) - 20 x 1/2"	Blue	20 x 1/2	10 / 200
	0796 2030 182	Pop-up Equal Bend (PE) - 25 x 1/2"	Blue	25 x 1/2	10 / 120
	0796 2030 183	Pop-up Equal Bend (PE) - 32 x 3/4"	Blue	32 x 3/4	10 / 80

NORMA COMPRESSION FITTINGS

Wall Plate Elbow - WPE

Wall Plate Elbow - WPE					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2030 360	Wall Plate Elbow (WPE) - 25 x 3/4"	Blue	25 x 3/4	10 / 150


Male Threaded Adaptor With Brass Insert - MAB

Male Threaded Adaptor With Brass Insert - MAB					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2651 119	Male Threaded Adaptor With Brass Insert (MAB) - 20 x 1/2"	Blue	20 x 1/2	10 / 400
	0796 2651 123	Male Threaded Adaptor With Brass Insert (MAB) - 25 x 3/4"	Blue	25 x 3/4	10 / 200
	0796 2651 125	Male Threaded Adaptor With Brass Insert (MAB) - 25 x 1"	Blue	25 x 1	10 / 200
	0796 2651 129	Male Threaded Adaptor With Brass Insert (MAB) - 32 x 1"	Blue	32 x 1	10 / 120

Female Threaded Adaptor With Brass Insert - FAB


Female Threaded Adaptor With Brass Insert - FAB					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2651 017	Female Threaded Adaptor With Brass Insert (FAB) - 20 x 1/2"	Blue	20 x 1/2	10 / 400
	0796 2651 024	Female Threaded Adaptor With Brass Insert (FAB) - 25 x 3/4"	Blue	25 x 3/4	10 / 200
	0796 2651 027	Female Threaded Adaptor With Brass Insert (FAB) - 25 x 1"	Blue	25 x 1	10 / 200
	0796 2651 032	Female Threaded Adaptor With Brass Insert (FAB) - 32 x 1"	Blue	32 x 1	10 / 120

Female Threaded Bend With Brass Insert - FBB


Female Threaded Bend With Brass Insert - FBB					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2651 053	Female Threaded Bend With Brass Insert (FBB) - 20 x 3/4"	Blue	20 x 3/4	10 / 300
	0796 2651 058	Female Threaded Bend With Brass Insert (FBB) - 25 x 3/4"	Blue	25 x 3/4	10 / 200
	0796 2651 067	Female Threaded Bend With Brass Insert (FBB) - 32 x 1"	Blue	32 x 1	10 / 120

Under Pressure Tapping Ferrule with Cutter

Compression Joint Outlet

Compression Joint Outlet					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2698 019	Tapping Ferrule - Compression Joint Outlet - 1" x 20	Black	1 x 20	10 / 80
	0796 2698 020	Tapping Ferrule - Compression Joint Outlet - 1" x 25	Black	1 x 25	10 / 80
	0796 2698 021	Tapping Ferrule - Compression Joint Outlet - 1" x 32	Black	1 x 32	10 / 80
	0796 2698 022	Tapping Ferrule - Compression Joint Outlet - 1 1/4" x 20	Black	1 1/4 x 20	10 / 80
	0796 2698 023	Tapping Ferrule - Compression Joint Outlet - 1 1/4" x 25	Black	1 1/4 x 25	10 / 80
	0796 2698 024	Tapping Ferrule - Compression Joint Outlet - 1 1/4" x 32	Black	1 1/4 x 32	10 / 80

Threaded Outlet

Threaded Outlet					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2698 025	Tapping Ferrule - Threaded Outlet - 1" x 3/4"	Black	1 x 3/4	10 / 80
	0796 2698 026	Tapping Ferrule - Threaded Outlet - 1" x 1"	Black	1 x 1	10 / 80
	0796 2698 027	Tapping Ferrule - Threaded Outlet - 1 1/4" x 3/4"	Black	1 1/4 x 3/4	10 / 80
	0796 2698 028	Tapping Ferrule - Threaded Outlet - 1 1/4" x 1"	Black	1 1/4 x 1	10 / 80

Telescopic Fitting



Speed up the process of repairing a broken pipe!



- ✓ UV stabilised to perform even in harsh sunny conditions
- ✓ Ideal connection for repairing and tapping into PE pipes
- ✓ No additional components required for fixing the pipe
- ✓ Dual O-rings are used to ensure zero leakage

Love what you see? Here are some more products you may like.



NORMA Ball Valve




NORMA Compression Fitting PN 16



Valve Box NDS standard series



Technical Information




Applications

For repairing broken pipe sections while reducing the physical labour involved.


Material

Working pressure: 10 bar (PN 10)

Nut	Polyethylene	Outer Body	Polyethylene
Clinching Ring	POM (Acetal)	Telescopic Nut	Polyethylene
Holder	Polyethylene	Insert O-Ring	Nitrile Butadiene Rubber (NBR)
O-Ring	Nitrile Butadiene Rubber (NBR)	Inner Body	Polyethylene




Installation Tips



01 Cut the pipe as per the cut template. Unscrew all nuts to the last thread. Pull the O-rings into the relaxed position.



02 Slide the fitting over the pipe to the maximum insertion depth and tighten the nut.




03 Slide the outer body of the fitting to the maximum insertion depth until it extends over the pipe and tighten the blue nut. Tighten the black nut.


Pipe outer \varnothing (mm)	25	32	40	50
Max. Telescopic Range (mm)	265	315	350	390
Insertion Depth (mm)	65	70	80	90

NORMA COMPRESSION FITTINGS


Straight Coupler

Straight Coupler				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0796 2660 001	Telescopic Straight Coupler (TSC) 25	25	5 / 60
	0796 2660 002	Telescopic Straight Coupler (TSC) 32	32	3 / 39
	0796 2660 003	Telescopic Straight Coupler (TSC) 40	40	2 / 24
	0796 2660 004	Telescopic Straight Coupler (TSC) 50	50	2 / 12


Male Threaded Adaptor


Male Threaded Adaptor				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0796 2660 005	Telescopic Male Threaded Adaptor (TMA) 25 × 1"	25 × 1"	5 / 60
	0796 2660 006	Telescopic Male Threaded Adaptor (TMA) 32 × 1 1/4"	32 × 1 1/4"	3 / 39
	0796 2660 007	Telescopic Male Threaded Adaptor (TMA) 40 × 1 1/2"	40 × 1 1/2"	2 / 24
	0796 2660 008	Telescopic Male Threaded Adaptor (TMA) 50 × 2"	50 × 2"	2 / 10

Equal Tee

Equal Tee				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0796 2660 009	Telescopic Equal Tee (TET) 25	25	2 / 30
	0796 2660 010	Telescopic Equal Tee (TET) 32	32	2 / 20
	0796 2660 011	Telescopic Equal Tee (TET) 40	40	1 / 20
	0796 2660 012	Telescopic Equal Tee (TET) 50	50	1 / 12

Male Threaded Tee

Male Threaded Tee				
Product picture	Part number	Description	Size (mm × inch)	Packaging details
				Bag / Box Qty. (pcs)
	0796 2660 013	Telescopic Male Threaded Tee (MT) 25 × 1"	25 × 1"	2 / 60
	0796 2660 014	Telescopic Male Threaded Tee (MT) 32 × 1 1/4"	32 × 1 1/4"	2 / 40
	0796 2660 015	Telescopic Male Threaded Tee (MT) 40 × 1 1/2"	40 × 1 1/2"	1 / 20
	0796 2660 016	Telescopic Male Threaded Tee (MT) 50 × 2"	50 × 2"	1 / 12



NORMA PN 10



Cost-competitive high-quality compression fittings for your needs



- ✓ No special tooling required
- ✓ Fast and easy connection
- ✓ High UV and temperature resistance
- ✓ Perfect water tightness
- ✓ Locking nut for clinching system
- ✓ Safe and durable

Love what you see? Here are some more products you may like.



Clamp Saddle




Threaded Fitting



NORMA Ball Valve



Technical Information




Applications

Ideally suited for residential landscape irrigation and for agriculture-based irrigation.

Material


Body	Polypropylene	Working pressure: 10 bar (PN 10).
O-Ring	NBR	
Holder	Polypropylene	
Clinching Ring	POM (Acetal)	
Locking Nut	Polypropylene	




Installation Tips




01 Unscrew the nut one or two turns or to the last thread.



02 Cut the pipe and deburr if necessary. Mark the insertion depth.




03 Push the pipe to the mark or the stop-end.




04 Screw the nut on tight. The nut can be tightened manually or using a hook tool.

NORMA COMPRESSION FITTINGS

Male Threaded Adaptor - MA


Male Threaded Adaptor - MA					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2103 388	Male Threaded Adaptor (MA) - 16 x 1/2"	Green	16 x 1/2	200 / 800
	0796 2103 389	Male Threaded Adaptor (MA) - 16 x 3/4"	Green	16 x 3/4	200 / 800
	0796 2103 390	Male Threaded Adaptor (MA) - 20 x 1/2"	Green	20 x 1/2	100 / 500
	0796 2103 391	Male Threaded Adaptor (MA) - 20 x 3/4"	Green	20 x 3/4	100 / 500
	0796 2103 394	Male Threaded Adaptor (MA) - 25 x 1/2"	Green	25 x 1/2	50 / 300
	0796 2103 392	Male Threaded Adaptor (MA) - 25 x 3/4"	Green	25 x 3/4	50 / 300
	0796 2103 393	Male Threaded Adaptor (MA) - 25 x 1"	Green	25 x 1	50 / 300
	0796 2103 397	Male Threaded Adaptor (MA) - 32 x 1/2"	Green	32 x 1/2	40 / 200
	0796 2103 395	Male Threaded Adaptor (MA) - 32 x 3/4"	Green	32 x 3/4	40 / 200
	0796 2103 396	Male Threaded Adaptor (MA) - 32 x 1"	Green	32 x 1	40 / 200
	0796 2103 398	Male Threaded Adaptor (MA) - 40 x 1"	Green	40 x 1	20 / 100
	0796 2103 400	Male Threaded Adaptor (MA) - 40 x 1 1/4"	Green	40 x 1 1/4	20 / 100
	0796 2103 399	Male Threaded Adaptor (MA) - 40 x 1 1/2"	Green	40 x 1 1/2	20 / 100
	0796 2103 402	Male Threaded Adaptor (MA) - 50 x 1 1/4"	Green	50 x 1 1/4	10 / 60
	0796 2103 401	Male Threaded Adaptor (MA) - 50 x 1 1/2"	Green	50 x 1 1/2	10 / 60
	0796 2103 403	Male Threaded Adaptor (MA) - 50 x 2"	Green	50 x 2	10 / 60
	0796 2103 404	Male Threaded Adaptor (MA) - 63 x 1 1/2"	Green	63 x 1 1/2	8 / 40
	0796 2103 405	Male Threaded Adaptor (MA) - 63 x 2"	Green	63 x 2	8 / 40
	0796 2103 406	Male Threaded Adaptor (MA) - 75 x 2"	Green	75 x 2	1 / 25
0796 2103 407	Male Threaded Adaptor (MA) - 75 x 2 1/2"	Green	75 x 2 1/2	1 / 25	
0796 2103 408	Male Threaded Adaptor (MA) - 90 x 3"	Green	90 x 3	1 / 16	

Female Threaded Adaptor - FA


Female Threaded Adaptor - FA					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2103 354	Female Threaded Adaptor (FA) - 16 x 1/2"	Green	16 x 1/2	200 / 600
	0796 2103 355	Female Threaded Adaptor (FA) - 16 x 3/4"	Green	16 x 3/4	200 / 600
	0796 2103 356	Female Threaded Adaptor (FA) - 20 x 1/2"	Green	20 x 1/2	100 / 500
	0796 2103 357	Female Threaded Adaptor (FA) - 20 x 3/4"	Green	20 x 3/4	100 / 500
	0796 2103 360	Female Threaded Adaptor (FA) - 25 x 1/2"	Green	25 x 1/2	50 / 300
	0796 2103 358	Female Threaded Adaptor (FA) - 25 x 3/4"	Green	25 x 3/4	50 / 300
	0796 2103 359	Female Threaded Adaptor (FA) - 25 x 1"	Green	25 x 1	50 / 300
	0796 2103 362	Female Threaded Adaptor (FA) - 32 x 3/4"	Green	32 x 3/4	40 / 200
	0796 2103 361	Female Threaded Adaptor (FA) - 32 x 1"	Green	32 x 1	40 / 200
	0796 2103 363	Female Threaded Adaptor (FA) - 40 x 1"	Green	40 x 1	20 / 100
	0796 2103 365	Female Threaded Adaptor (FA) - 40 x 1 1/4"	Green	40 x 1 1/4	20 / 100
	0796 2103 364	Female Threaded Adaptor (FA) - 40 x 1 1/2"	Green	40 x 1 1/2	20 / 100
	0796 2103 311	Female Threaded Adaptor (FA) - 50 x 1 1/2"	Green	50 x 1 1/2	10 / 60
	0796 2103 312	Female Threaded Adaptor (FA) - 63 x 2"	Green	63 x 2	8 / 40
	0796 2103 313	Female Threaded Adaptor (FA) - 75 x 2"	Green	75 x 2	1 / 25
	0796 2103 314	Female Threaded Adaptor (FA) - 75 x 2 1/2"	Green	75 x 2 1/2	1 / 25
0796 2103 315	Female Threaded Adaptor (FA) - 90 x 3"	Green	90 x 3	1 / 16	

NORMA COMPRESSION FITTINGS

Male Threaded Tee - MT


Male Threaded Tee - MT					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2103 428	Male Threaded Tee (MT) - 16 x 1/2"	Green	16 x 1/2	50 / 400
	0796 2103 429	Male Threaded Tee (MT) - 16 x 3/4"	Green	16 x 3/4	50 / 400
	0796 2103 430	Male Threaded Tee (MT) - 20 x 1/2"	Green	20 x 1/2	40 / 240
	0796 2103 431	Male Threaded Tee (MT) - 20 x 3/4"	Green	20 x 3/4	40 / 240
	0796 2103 434	Male Threaded Tee (MT) - 25 x 1/2"	Green	25 x 1/2	25 / 125
	0796 2103 432	Male Threaded Tee (MT) - 25 x 3/4"	Green	25 x 3/4	25 / 125
	0796 2103 433	Male Threaded Tee (MT) - 25 x 1"	Green	25 x 1	25 / 125
	0796 2103 436	Male Threaded Tee (MT) - 32 x 3/4"	Green	32 x 3/4	15 / 90
	0796 2103 435	Male Threaded Tee (MT) - 32 x 1"	Green	32 x 1	15 / 90
	0796 2103 437	Male Threaded Tee (MT) - 40 x 1"	Green	40 x 1	8 / 48
	0796 2103 438	Male Threaded Tee (MT) - 40 x 1 1/4"	Green	40 x 1 1/4	8 / 48
	0796 2103 440	Male Threaded Tee (MT) - 50 x 1 1/4"	Green	50 x 1 1/4	6 / 30
	0796 2103 439	Male Threaded Tee (MT) - 50 x 1 1/2"	Green	50 x 1 1/2	6 / 30
	0796 2103 441	Male Threaded Tee (MT) - 63 x 2"	Green	63 x 2	1 / 20
	0796 2103 442	Male Threaded Tee (MT) - 75 x 2"	Green	75 x 2	1 / 10
	0796 2103 443	Male Threaded Tee (MT) - 75 x 2 1/2"	Green	75 x 2 1/2	1 / 10
0796 2103 444	Male Threaded Tee (MT) - 90 x 3"	Green	90 x 3	1 / 6	

Female Threaded Tee - FT

Female Threaded Tee - FT					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2103 377	Female Threaded Tee (FT) - 16 x 3/4"	Green	16 x 3/4	50 / 350
	0796 2103 378	Female Threaded Tee (FT) - 16 x 1/2"	Green	16 x 1/2	50 / 350
	0796 2103 379	Female Threaded Tee (FT) - 20 x 1/2"	Green	20 x 1/2	40 / 240
	0796 2103 380	Female Threaded Tee (FT) - 20 x 3/4"	Green	20 x 3/4	40 / 240
	0796 2103 383	Female Threaded Tee (FT) - 25 x 1/2"	Green	25 x 1/2	25 / 125
	0796 2103 381	Female Threaded Tee (FT) - 25 x 3/4"	Green	25 x 3/4	25 / 125
	0796 2103 382	Female Threaded Tee (FT) - 25 x 1"	Green	25 x 1	25 / 125
	0796 2103 385	Female Threaded Tee (FT) - 32 x 3/4"	Green	32 x 3/4	15 / 90
	0796 2103 384	Female Threaded Tee (FT) - 32 x 1"	Green	32 x 1	15 / 90
	0796 2103 386	Female Threaded Tee (FT) - 40 x 1"	Green	40 x 1	8 / 48
	0796 2103 387	Female Threaded Tee (FT) - 40 x 1 1/4"	Green	40 x 1 1/4	8 / 48
	0796 2103 320	Female Threaded Tee (FT) - 50 x 1 1/2"	Green	50 x 1 1/2	6 / 30
	0796 2103 321	Female Threaded Tee (FT) - 63 x 2"	Green	63 x 2	1 / 20
	0796 2103 322	Female Threaded Tee (FT) - 75 x 2 1/2"	Green	75 x 2 1/2	1 / 10
	0796 2103 323	Female Threaded Tee (FT) - 90 x 3"	Green	90 x 3	1 / 6

NORMA COMPRESSION FITTINGS

Male Threaded Elbow - MB

Male Threaded Elbow - MB					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2103 409	Male Threaded Elbow - Male Bend 90° (MB) - 16 x 1/2"	Green	16 x 1/2	100 / 600
	0796 2103 410	Male Threaded Elbow - Male Bend 90° (MB) - 16 x 3/4"	Green	16 x 3/4	100 / 600
	0796 2103 411	Male Threaded Elbow - Male Bend 90° (MB) - 20 x 1/2"	Green	20 x 1/2	50 / 400
	0796 2103 412	Male Threaded Elbow - Male Bend 90° (MB) - 20 x 3/4"	Green	20 x 3/4	50 / 400
	0796 2103 415	Male Threaded Elbow - Male Bend 90° (MB) - 25 x 1/2"	Green	25 x 1/2	50 / 250
	0796 2103 413	Male Threaded Elbow - Male Bend 90° (MB) - 25 x 3/4"	Green	25 x 3/4	50 / 250
	0796 2103 414	Male Threaded Elbow - Male Bend 90° (MB) - 25 x 1"	Green	25 x 1	50 / 250
	0796 2103 417	Male Threaded Elbow - Male Bend 90° (MB) - 32 x 3/4"	Green	32 x 3/4	30 / 150
	0796 2103 416	Male Threaded Elbow - Male Bend 90° (MB) - 32 x 1"	Green	32 x 1	30 / 150
	0796 2103 418	Male Threaded Elbow - Male Bend 90° (MB) - 40 x 1"	Green	40 x 1	16 / 80
	0796 2103 420	Male Threaded Elbow - Male Bend 90° (MB) - 40 x 1 1/4"	Green	40 x 1 1/4	16 / 80
	0796 2103 419	Male Threaded Elbow - Male Bend 90° (MB) - 40 x 1 1/2"	Green	40 x 1 1/2	16 / 80
	0796 2103 422	Male Threaded Elbow - Male Bend 90° (MB) - 50 x 1 1/4"	Green	50 x 1 1/4	10 / 50
	0796 2103 421	Male Threaded Elbow - Male Bend 90° (MB) - 50 x 1 1/2"	Green	50 x 1 1/2	10 / 50
	0796 2103 423	Male Threaded Elbow - Male Bend 90° (MB) - 63 x 2"	Green	50 x 2	10 / 50
	0796 2103 424	Male Threaded Elbow - Male Bend 90° (MB) - 63 x 2"	Green	63 x 2	6 / 36
	0796 2103 425	Male Threaded Elbow - Male Bend 90° (MB) - 75 x 2"	Green	75 x 2	1 / 16
	0796 2103 426	Male Threaded Elbow - Male Bend 90° (MB) - 75 x 2 1/2"	Green	75 x 2 1/2	1 / 16
0796 2103 427	Male Threaded Elbow - Male Bend 90° (MB) - 90 x 3"	Green	90 x 3	1 / 10	

Straight Coupler - SC

Straight Coupler - SC					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2103 490	Straight Coupler (SC) - 16	Green	16	100 / 500
	0796 2103 491	Straight Coupler (SC) - 20	Green	20	50 / 300
	0796 2103 492	Straight Coupler (SC) - 25	Green	25	30 / 210
	0796 2103 493	Straight Coupler (SC) - 32	Green	32	20 / 120
	0796 2103 494	Straight Coupler (SC) - 40	Green	40	10 / 60
	0796 2103 495	Straight Coupler (SC) - 50	Green	50	8 / 40
	0796 2103 496	Straight Coupler (SC) - 63	Green	63	1 / 30
	0796 2103 497	Straight Coupler (SC) - 75	Green	75	1 / 14
	0796 2103 498	Straight Coupler (SC) - 90	Green	90	1 / 12

Female Threaded Elbow - FB

Female Threaded Elbow - FB					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2103 366	Female Threaded Elbow - Female Bend 90° (FB) - 16 x 1/2"	Green	16 x 1/2	50 / 400
	0796 2103 367	Female Threaded Elbow - Female Bend 90° (FB) - 16 x 3/4"	Green	16 x 3/4	50 / 400
	0796 2103 368	Female Threaded Elbow - Female Bend 90° (FB) - 20 x 1/2"	Green	20 x 1/2	40 / 240
	0796 2103 369	Female Threaded Elbow - Female Bend 90° (FB) - 20 x 3/4"	Green	20 x 3/4	40 / 240
	0796 2103 372	Female Threaded Elbow - Female Bend 90° (FB) - 25 x 1/2"	Green	25 x 1/2	25 / 125
	0796 2103 370	Female Threaded Elbow - Female Bend 90° (FB) - 25 x 3/4"	Green	25 x 3/4	25 / 125
	0796 2103 371	Female Threaded Elbow - Female Bend 90° (FB) - 25 x 1"	Green	25 x 1	25 / 125
	0796 2103 374	Female Threaded Elbow - Female Bend 90° (FB) - 32 x 3/4"	Green	32 x 3/4	15 / 90
	0796 2103 373	Female Threaded Elbow - Female Bend 90° (FB) - 32 x 1"	Green	32 x 1	15 / 90
	0796 2103 375	Female Threaded Elbow - Female Bend 90° (FB) - 40 x 1"	Green	40 x 1	8 / 48
	0796 2103 376	Female Threaded Elbow - Female Bend 90° (FB) - 40 x 1 1/4"	Green	40 x 1 1/4	8 / 48
	0796 2103 316	Female Threaded Elbow - Female Bend 90° (FB) - 50 x 1 1/2"	Green	50 x 1 1/4	6 / 30
	0796 2103 317	Female Threaded Elbow - Female Bend 90° (FB) - 63 x 2"	Green	50 x 1 1/2	6 / 30
	0796 2103 318	Female Threaded Elbow - Female Bend 90° (FB) - 75 x 2 1/2"	Green	63 x 2	1 / 20
	0796 2103 319	Female Threaded Elbow - Female Bend 90° (FB) - 90 x 3"	Green	75 x 2	1 / 10

Equal Bend - EB


Equal Bend - EB					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2103 327	Equal Bend (EB) - 16	Green	16	100 / 500
	0796 2103 328	Equal Bend (EB) - 20	Green	20	50 / 300
	0796 2103 329	Equal Bend (EB) - 25	Green	25	30 / 180
	0796 2103 330	Equal Bend (EB) - 32	Green	32	20 / 100
	0796 2103 331	Equal Bend (EB) - 40	Green	40	10 / 50
	0796 2103 332	Equal Bend (EB) - 50	Green	50	8 / 32
	0796 2103 333	Equal Bend (EB) - 63	Green	63	1 / 20
	0796 2103 334	Equal Bend (EB) - 75	Green	75	1 / 12
	0796 2103 335	Equal Bend (EB) - 90	Green	90	1 / 8

NORMA COMPRESSION FITTINGS

Equal Tee - ET

Equal Tee - ET					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2103 345	Equal Tee (ET) - 16	Green	16	50 / 300
	0796 2103 346	Equal Tee (ET) - 20	Green	20	30 / 180
	0796 2103 347	Equal Tee (ET) - 25	Green	25	20 / 100
	0796 2103 348	Equal Tee (ET) - 32	Green	32	10 / 70
	0796 2103 349	Equal Tee (ET) - 40	Green	40	8 / 32
	0796 2103 350	Equal Tee (ET) - 50	Green	50	5 / 20
	0796 2103 351	Equal Tee (ET) - 63	Green	63	1 / 15
	0796 2103 352	Equal Tee (ET) - 75	Green	75	1 / 8
	0796 2103 353	Equal Tee (ET) - 90	Green	90	1 / 5


Reducing Coupler - RC

Reducing Coupler - RC					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2103 454	Reducing Coupler (RC) - 20 x 16	Green	20 x 16	100 / 400
	0796 2103 455	Reducing Coupler (RC) - 25 x 20	Green	25 x 20	40 / 240
	0796 2103 456	Reducing Coupler (RC) - 32 x 20	Green	32 x 20	30 / 180
	0796 2103 457	Reducing Coupler (RC) - 32 x 25	Green	32 x 25	30 / 150
	0796 2103 458	Reducing Coupler (RC) - 40 x 20	Green	40 x 20	15 / 90
	0796 2103 459	Reducing Coupler (RC) - 40 x 25	Green	40 x 25	15 / 90
	0796 2103 460	Reducing Coupler (RC) - 40 x 32	Green	40 x 32	15 / 90
	0796 2103 461	Reducing Coupler (RC) - 50 x 20	Green	50 x 20	10 / 60
	0796 2103 462	Reducing Coupler (RC) - 50 x 25	Green	50 x 25	10 / 60
	0796 2103 463	Reducing Coupler (RC) - 50 x 32	Green	50 x 32	10 / 50
	0796 2103 464	Reducing Coupler (RC) - 50 x 40	Green	50 x 40	8 / 48
	0796 2103 465	Reducing Coupler (RC) - 63 x 25	Green	63 x 25	6 / 36
	0796 2103 466	Reducing Coupler (RC) - 63 x 32	Green	63 x 32	6 / 36
	0796 2103 467	Reducing Coupler (RC) - 63 x 40	Green	63 x 40	6 / 36
	0796 2103 468	Reducing Coupler (RC) - 63 x 50	Green	63 x 50	6 / 36
	0796 2103 469	Reducing Coupler (RC) - 75 x 40	Green	75 x 40	1 / 16
	0796 2103 470	Reducing Coupler (RC) - 75 x 50	Green	75 x 50	1 / 16
	0796 2103 471	Reducing Coupler (RC) - 75 x 63	Green	75 x 63	1 / 16
	0796 2103 472	Reducing Coupler (RC) - 90 x 63	Green	90 x 63	1 / 12
	0796 2103 473	Reducing Coupler (RC) - 90 x 75	Green	90 x 75	1 / 12

End Cap - EC

End Cap - EC					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2103 336	End Cap (EC) 16	Green	16	200 / 1000
	0796 2103 337	End Cap (EC) 20	Green	20	100 / 600
	0796 2103 338	End Cap (EC) 25	Green	25	50 / 350
	0796 2103 339	End Cap (EC) 32	Green	32	40 / 240
	0796 2103 340	End Cap (EC) 40	Green	40	20 / 120
	0796 2103 341	End Cap (EC) 50	Green	50	20 / 60
	0796 2103 342	End Cap (EC) 63	Green	63	8 / 48
	0796 2103 343	End Cap (EC) 75	Green	75	1 / 25
	0796 2103 344	End Cap (EC) 90	Green	90	1 / 16

Reducing Tee - RT

Reducing Tee - RT					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2103 474	Reducing Tee (RT) - 25 x 20	Green	25 x 20	20 / 120
	0796 2103 475	Reducing Tee (RT) - 32 x 20	Green	32 x 20	15 / 75
	0796 2103 476	Reducing Tee (RT) - 32 x 25	Green	32 x 25	15 / 75
	0796 2103 477	Reducing Tee (RT) - 40 x 25	Green	40 x 25	8 / 48
	0796 2103 478	Reducing Tee (RT) - 40 x 32	Green	40 x 32	8 / 48
	0796 2103 479	Reducing Tee (RT) - 50 x 25	Green	50 x 25	6 / 24
	0796 2103 480	Reducing Tee (RT) - 50 x 32	Green	50 x 32	6 / 24
	0796 2103 481	Reducing Tee (RT) - 50 x 40	Green	50 x 40	5 / 25
	0796 2103 482	Reducing Tee (RT) - 63 x 32	Green	63 x 32	1 / 18
	0796 2103 483	Reducing Tee (RT) - 63 x 40	Green	63 x 40	1 / 18
	0796 2103 484	Reducing Tee (RT) - 63 x 50	Green	63 x 50	1 / 15
	0796 2103 485	Reducing Tee (RT) - 75 x 40	Green	75 x 40	1 / 12
	0796 2103 486	Reducing Tee (RT) - 75 x 50	Green	75 x 50	1 / 10
	0796 2103 487	Reducing Tee (RT) - 75 x 63	Green	75 x 63	1 / 10
	0796 2103 488	Reducing Tee (RT) - 90 x 63	Green	90 x 63	1 / 6
	0796 2103 489	Reducing Tee (RT) - 90 x 75	Green	90 x 75	1 / 6

NORMA COMPRESSION FITTINGS

Pop-Up Equal Bend - PE

Pop-Up Equal Bend - PE					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2103 324	Pop-up Equal Bend (PE) - 20 x 1/2"	Green	20 x 1/2	10 / 200
	0796 2103 325	Pop-up Equal Bend (PE) - 25 x 1/2"	Green	25 x 1/2	10 / 120
	0796 2103 326	Pop-up Equal Bend (PE) - 32 x 3/4"	Green	32 x 3/4	10 / 80

Wall Plate Elbow - WPE

Wall Plate Elbow - WPE					
Product picture	Part number	Description	Colour	Size (mm x inch)	Packaging details
					Bag / Box Qty. (pcs)
	0796 2103 499	Wall Plate Elbow (WPE) - 25 x 3/4"	Green	25 x 3/4	10 / 150



NORMA Compression Fittings

Irrigation Joining Solutions

Leakage-free and highly durable irrigation system components – Thanks to our decades of experience in joining and connecting solutions for even the most demanding industries, we know what it takes to provide you with secure components for fit & forget irrigation systems that make your life and your customers' lives a lot easier. Contact us to learn more about our fittings, valve boxes and driplines.

Because every drop counts, say yes to NORMA and farewell to leakage!

Smart solutions. "Fit & Forget" installation. Excellent performance.

Discover more: norma-irrigation.com

As a listed company, NORMA Group has its headquarters in Maintal near Frankfurt, with 8500 employees serving customers in over 100 countries.

